


With the Medical Officer of Health's Compliments.



Digitized by the Internet Archive
in 2018 with funding from
Wellcome Library

<https://archive.org/details/b30080344>

ANNUAL REPORT
ON THE
HEALTH
OF THE
CITY OF SHEFFIELD
FOR THE YEAR 1893.

HARVEY LITTLEJOHN, M.A., M.B., B.Sc. Pub. Health, F.R.C.S., Ed.,
MEDICAL OFFICER OF HEALTH.

City of Sheffield.

HEALTH COMMITTEE.

MAYOR :

ALDERMAN BATTY LANGLEY, J.P.

CHAIRMAN :

ALDERMAN WILLIAM JOHNSON CLEGG, J.P.

DEPUTY CHAIRMAN :

COUNCILLOR JOSEPH NADIN.

MEMBERS :

ALDERMAN W. R. CARTER.

COUNCILLOR CHAS. HOBSON, J.P.

COUNCILLOR THOS. WRAGG.

„ H. W. CHAMBERS.

„ J. W. WILSON, J.P.

„ W. W. HARRISON.

„ JOHN AIZLEWOOD.

„ J. T. DOBB.

„ G. F. LOCKWOOD, J.P.

„ J. A. MANTON, M.R.C.S.

„ ROBERT STYRING.

„ J. R. LOCKWOOD.

COUNCILLOR HENRY PAWSON.

CONTENTS.

	PAGE.
MORTALITY CHART	
INTRODUCTION	5
SUMMARY OF VITAL AND MORTAL STATISTICS...	6
CENSUS RETURNS	7
POPULATION OF BOROUGH and of each Sub-District. Density of Population	12
MARRIAGES, BIRTHS	13
DEATHS AND DEATH-RATES	14
INFANTILE DEATHS... ..	19
CAUSES OF DEATH.—Zymotic Diseases	20
Small Pox	21
Scarlet Fever	23
Enteric Fever	23
Influenza	25
Phthisis	25
Plumbism	26
Diseases of the Nervous, Respiratory, and Digestive Systems	26
UNCERTIFIED DEATHS	26
NOTIFICATION OF INFECTIOUS DISEASES—Cost...	38
ADMISSIONS TO HOSPITAL... ..	39
NUISANCES.—Work of the Inspectors	39
SMOKE ABATEMENT... ..	41
MEAT.—Inspection of	44
DAIRIES AND COWSHEDS	45
SLAUGHTER-HOUSES	46
HOUSING OF THE WORKING CLASSES ACT	46
REPORT ON INSANITARY AREA	47
SALE OF FOOD AND DRUGS ACT.	50
HOUSES LET IN LODGINGS	50
CANAL BOATS ACTS	51
DISINFECTION	51
MORTALITY IN STREETS	52

CONTENTS. —Continued.

SUMMARY OF TABLES CONTAINED IN REPORT.

	PAGE.
Tables containing the results of the Census Enumeration, 1891	8
Table I.—Shewing the Population of each of the nine Registration Sub-Districts at the Census of 1881 and 1891. Also the Computed Population at the middle of the year 1893	12
Table II.—Shewing the Area in Acres, Population, and Number of Persons per Acre in each of the nine Registration Sub-Districts	12
Table III.—Shewing the Birth-rate during the year for the whole of the Borough, and for each of its Registration Sub-Districts. Also the total number of Births, Legitimate and Illegitimate, in each	13
Table IV.—Shewing the Population of Sheffield, and the number of Births and Deaths in past years	14
Table V.—Recorded and Corrected Death-rates in the 33 Large Towns	15
Table VI.—Shewing the Number of Deaths at different ages and from various causes in each of the nine Registration Sub-Districts	16
Table VII.—Shewing the Death-rate per 1,000 per annum at various ages and from a number of causes during the year 1893 in each of the nine Registration Sub-Districts	17
Table VIII.—Shewing the Number of Deaths and the Death-rate per 1,000 of the Inhabitants of Sheffield during 1893 from all causes, and from a number of specified causes; also the number of persons alive, the number of Deaths, and the Death-rate per 1,000 of those living at all ages and certain specified age periods. The number of Marriages and of Births, together with the rates deducible therefrom, are also given	18
Table IX.—Analysis of the Deaths which occurred during 1893 amongst Illegitimate Children	19
Table X.—Death-rates from the seven chief Zymotic Diseases, 1893, Sheffield and Large Towns; Average Zymotic Death-rate in Sheffield for previous ten years ..	20
Table shewing Small-pox. Type and Mortality in relation to Vaccination...	22
Small-pox. Type and Mortality in relation to Age	22
Enteric Fever, 1881-1893	22
Plumbism, Deaths from	26
Table XI.—Shewing Number and Causes of Death in the Two Sexes at Various Ages ..	27
Table XII.—Mortality in reference to Trades... .. .	37
Table XIII.—Cases of Infectious Disease notified during the year 1893 under the Infectious Diseases (Notification) Act, 1889	38
Table XIV.—Shewing Monthly Admissions to Hospital	39
Table XV.—Summary of Work done by Inspectors of Nuisances	40
Table XVI.—Smoke Observations	41
Table XVII.—Smoke Abatement	42
Table XVIII.—Meat Condemned and Destroyed as unfit for Human Food	44
Table XIX.—Dairies, Milkshops, and Cowsheds	45
Table XX.—Inspection of Slaughter-Houses	46
Table XXI.—Sale of Food and Drugs Act	50
Table XXII.—House Let in Lodgings	50
Table XXIII.—Canal Boats	51
Table XXIV.—Central Disinfecting Station	51
Table XXV.—Mortality in Streets	52

HEALTH OFFICE,

SHEFFIELD,

June 14th, 1894.

TO THE CHAIRMAN AND MEMBERS OF THE HEALTH COMMITTEE.

GENTLEMEN,

Herewith I beg to submit my Annual Report on the health of the City during the year 1893, and take the opportunity of thanking you for the constant help and consideration you have extended to me in the discharge of the duties of the office.

The Report follows practically the same lines as previously, except that I have brought together and tabulated from the last Census some of the information relating to Sheffield, in the hope that it may be found useful and more accessible than in the Census Reports.

I am, Gentlemen,

Your obedient Servant,

HARVEY LITTLEJOHN.

SUMMARY OF VITAL AND MORTAL STATISTICS FOR 1893

AREA OF CITY	19,651 acres divided into NINE Registration Sub- Districts.
POPULATION	333,922.
DENSITY	16·9 persons per acre.
INHABITED HOUSES.....	Census of 1891, 66,783, with 2,596 uninhabited, and 321 building.
NUMBER OF DWELLING HOUSES CERTIFIED AS FIT FOR OCCU- PATION DURING THE YEAR	968.
RATEABLE VALUE	£1,154,345.
MARRIAGES	2,797.
BIRTHS	11,584.
DEATHS	7,419
INFANTILE MORTALITY	2,238 under 1 year, or 193 per 1,000 births.
ZYMOTIC DEATH-RATE	1·64 (exclusive of diarrhœa).
INCREASE OF POPULATION	4,337, but the natural in- crease, <i>i.e.</i> , excess of Births over Deaths, was 4,165.
LENGTH OF SEWERS CONSTRUC- TED.....	6,355 yards, or 3·61 miles.

CENSUS RETURNS, 1891.

The last volume of the 1891 Census Report has only recently been issued, and enables me to give the following Tables containing information in regard to Sheffield, which I trust will prove interesting and useful.

URBAN SANITARY DISTRICT AND COUNTY BOROUGH OF SHEFFIELD.

TABLE A.

CIVIL PARISH OR TOWNSHIP.	Area in Aeres.	Inhabited Houses.	Families or Separate Occupiers.	POPULATION.
Attercliffe-cum Darnall ...	1,297	7,073	7,215	35,883
Brightside Bierlow ...	2,821	13,679	13,751	67,083
Ecclesall Bierlow ...	4,328	14,426	14,621	68,987
Hallam, Nether ...	1,538	9,648	9,687	46,328
„ Upper ...	6,334	559	561	2,709
Heeley ...	305	2,446	2,472	11,837
Sheffield ...	3,028	18,952	19,194	91,416
County Borough of Sheffield ...	19,651	66,783	67,501	324,243

ECCLESIASTICAL PARISHES OR DISTRICTS.

TABLE B.

ECCLESIASTICAL PARISHES OR DISTRICTS.	Date of Formation.	Inhabited Houses.	POPULATION.
ATTERCLIFFE ...Christ Church ...	1849	3,208	16,103
„ Emmanuel ...	1882	1,745	8,575
BRIGHTSIDE ...St. Thomas ...	1846	2,738	13,575
„ All Saints ...	1869	2,324	11,317
CARBROOK ...St. Bartholomew ...	1874	1,790	9,288
CROOKES... ...St. Thomas ...	1840	1,703	7,903
DARNALL... ...Holy Trinity ...	1839	1,610	8,099
DYERS' HILL ...St. Luke ...	1846	2,325	10,868
ECCLESALL BIERLOW...All Saints ...	1849	471	2,377
FULWOOD ...Christ Church ...	1838	348	1,673
HEELEYChrist Church ...	1846	2,640	12,921
NEEPSSEND ...St. Michael and All Angels	—	1,596	7,607
NETHERTHORPE ...St. Anne ...	1884	1,051	4,835
„ St. Stephen ...	1875	1,827	8,649
OWLERTON ...St. John the Baptist ...	1876	1,220	6,740
PITSMOOR ...Christ Church ...	1845	2,902	14,869
RANMOOR ...St. John the Evangelist...	1879	421	2,012
SHEFFIELD ...St. Andrew, Sharrow ...	1870	1,672	8,280
„ St. Barnabas ...	1877	2,604	12,293
„ St. Bartholomew, Langsett Road }	1873	1,498	7,311
„ St. George ...	1843	2,147	10,136
„ St. James ...	1848	871	4,342
„ St. John the Evangelist, Park	—	2,080	10,094
„ St. Jude, Eldon Street ..	1849	1,233	5,755
„ St. Jude, Moorfields ...	1846	1,027	4,783
„ St. Luke, Hollis Croft ...	1860	1,143	5,570
„ St. Mark, Broomhill ...	1871	1,538	7,692
„ St. Mary ...	1848	4,148	19,775
„ St. Matthew ...	1847	785	3,727
„ St. Matthias ...	1880	1,216	5,484
„ St. Paul ...	1884	793	3,924
„ S.S. Peter and Paul ...	—	1,104	6,159
„ St. Philip ...	1856	4,265	20,269
„ St. Silas ...	1866	2,419	11,427
„ St. Simon ...	1867	1,200	5,602
WALKLEY ...St. Mary ...	1870	2,103	9,811
WICKERHoly Trinity ...	1845	2,774	13,146
WINCOBANK (part) ...St. Thomas ...	1877	144	1,152

THE PARLIAMENTARY BOROUGH.

TABLE C.

PARLIAMENTARY DIVISIONS.	Area in Acres.	HOUSES.			POPULATION.		
		Inhabited.	Un-inhabited.	Building.	Male.	Female.	Persons.
Sheffield—Attercliffe Division	19,651	14,663	378	119	36,807	35,658	72,465
„ Brightside „		13,679	229	61	34,269	32,814	67,083
„ Central „		13,764	1,181	24	33,121	33,336	66,457
„ Hallam „		11,388	404	51	26,150	28,786	54,936
„ Ecclesall „		13,289	404	66	29,957	33,345	63,302
Totals ...	19,651	66,783	2,596	321	160,304	163,939	324,243

MUNICIPAL WARDS.

TABLE D.

MUNICIPAL WARDS.	Area in Acres.	HOUSES.			POPULATION.		
		Inhabited.	Un-inhabited.	Building.	Male.	Female.	Persons.
Wards—Attercliffe ..	19,651	7,073	112	60	18,561	17,322	35,883
Brightside ...		13,679	229	61	34,269	32,814	67,083
Ecclesall ...		14,426	459	66	32,147	36,840	68,987
Nether Hallam ...		12,094	364	77	28,576	29,589	58,165
Park ...		5,144	201	26	12,317	12,428	24,745
St. George's ...		6,205	315	8	14,272	14,945	29,217
St. Peter's ...		3,954	498	5	9,839	9,730	19,569
St. Philip's ...		3,649	373	11	9,108	8,777	17,885
Upper Hallam ...		559	45	7	1,215	1,494	2,709
Totals ...	19,651	66,783	2,596	321	160,304	163,939	324,243

TABLE E.

Shewing the Increase or Decrease per cent. in the Inhabited Houses and in the Population in each District of the Borough which has taken place between the Census enumerations of 1881 and 1891.

				INCREASE PER CENT.	
				Inhabited Houses.	Population.
Sheffield West	-4·4	-5·7
„ North	0·5	-3·8
„ South	4·4	2·7
„ Park	7·2	7·2
Brightside	18·4	18·2
Attercliffe	32·5	33·0
Nether Hallam	25·0	18·8
Upper Hallam	8·7	7·8
Ecclesall	23·8	19·6
				16·4	13·9

From this table we see that in two of the most overcrowded districts of the City there has been a decrease in the population, and at the same time in one of them, a nearly corresponding diminution in the number of inhabited houses ; while in Sheffield North the number of houses has remained practically stationary. In most of the other districts the number of inhabited houses has increased at a greater rate than the population.

The following table shows the conditions of the population as to marriage, and from it we see that of the total male population 60·5 per cent. was unmarried, 36·1 per cent. was married, and 3·2 per cent. widowed. Of the total female population 57·2 per cent. was unmarried, 35·4 per cent. was married, and 7·3 widowed.

If we leave out of account all persons under 20 years of age, then it is found that 26·8 per cent of males was unmarried, and 66·6 per cent. was married; while of females 20·7 per cent. was unmarried, and 65·6 per cent. married.

CONDITION AS TO MARRIAGE IN THE URBAN SANITARY DISTRICT OF SHEFFIELD.

TABLE F.

		All Ages.	Under 15 Years.	15 and under 20 Years.	20 and under 25 Years.	25 and under 35 Years.	35 and under 45 Years.	45 and under 55 Years.	55 and under 65 Years.	65 Years and upwards.
Unmarried	Males ...	97,104	57,609	16,313	11,138	7,350	2,679	1,189	566	260
	Females..	93,860	58,938	16,698	9,164	5,704	1,770	856	421	309
Married ...	Males ...	57,930	—	94	3,837	17,696	16,797	11,403	5,760	2,343
	Females..	58,052	—	637	6,532	19,024	15,557	10,090	4,678	1,534
Widowed ...	Males ...	5,270	—	—	32	377	770	1,190	1,316	1,585
	Females..	12,027	—	2	54	664	1,616	2,758	3,223	3,710

AGE CONSTITUTION OF THE POPULATION OF THE URBAN SANITARY DISTRICT OF SHEFFIELD.

TABLE G.

				TOTAL NUMBER.		PROPORTION PER 1,000 OF	
				Males.	Females.	Males.	Females.
Under 5 Years	20,217	20,557	63	64
5 and under 10 Years	19,205	19,603	59	60
10	15	18,187	18,778	56	58
15	20	16,407	17,337	51	54
20	25	15,007	15,750	46	48
25	35	25,423	25,392	78	78
35	45	20,246	18,943	63	58
45	55	13,782	13,704	43	42
55	65	7,642	8,322	24	26
65	75	3,353	4,311	10	13
75	85	785	1,145	2	4
85 Years and upwards	50	97		
				160,304	163,937	495	505
				324,243		1,000	

NUMBER OF MALES AND FEMALES AT VARIOUS AGE PERIODS PER 1,000 PERSONS LIVING AT THE CENSUS OF 1881 AND 1891.

TABLE H.

				CENSUS OF 1881.		CENSUS OF 1891.	
AGED.				Males.	Females.	Males.	Females.
Under 5 Years	73	74	63	64
5 and under 10 Years	61	64	59	60
10	15	53	54	56	58
15	20	49	50	51	54
20	25	45	46	46	48
25	35	80	76	78	78
35	45	62	58	63	58
45	55	40	40	43	42
55	65	23	25	24	26
65	75	10	11	10	13
75	85	2	4	2	4
85 Years and upwards				
				498	502	495	505
				1,000		1,000	

OCCUPATIONS OF MALES AND FEMALES AGED 10 YEARS AND UPWARDS
IN THE URBAN SANITARY DISTRICT OF SHEFFIELD.

I.—PROFESSIONAL CLASS.			V.—Continued.		
Civil Service	409	44	Builders and Masons ...	1,242	2
Police	397	—	Carpenters	1,573	7
Others	171	50	Bricklayers	1,552	2
Army	764	—	Plumbers	398	2
Navy	6	—	Painters and Glaziers ...	965	11
Clerical Profession	280	55	Cabinet makers.....	1,042	642
Legal Profession	359	—	Carriage makers, Wheel-		
Medical, Dentist, Veter-			wrights	1,111	4
inary	233	3	Others.....	1,100	76
Nurses, etc.	56	412	Chemists, Druggists, etc.	303	47
Teachers.....	440	1,195	Cigar, Snuff makers, etc.	124	377
Students (15 years or			Others.....	21	9
over)	395	514	Innkeepers, Publicans ...	585	199
School Service	58	18	Brewers and Maltsters...	318	10
Literary and Scientific...	123	6	Spirit, Beer sellers	188	63
Engineers and Surveyors	134	—	Dairymen	249	59
Artists, Musicians, Photo-			Butchers.....	1,153	75
graphers, etc.....	546	295	Provision Dealers and		
Performers, Showmen...	63	5	Grocers	1,681	866
II.—DOMESTIC CLASS.			Fishmongers, Poulterers	305	47
Servants (indoor)	114	11,684	Bakers, Confectioners ...	425	686
Hotel, Club, Gate, etc...	409	353	Greengrocers	340	186
Charwomen	—	1,298	Drapers	594	497
Washing Service	16	670	Tailors	990	485
Others	149	297	Dressmakers	52	3,813
III.—COMMERCIAL CLASS.			Boot makers	1,015	190
Merchants, Agents, Bank-			Hairdressers	300	27
ers, etc.	1,061	29	Bone, Horn, Ivory, Tor-		
Commercial Travellers...	653	3	toise Shell workers ...	477	134
„ Clerks	2,803	157	Tanners, Curriers, etc....	283	189
Railway Engine Drivers,			Hair—Bristle workers ...	203	121
Porters, Clerks, etc....	1,717	4	Coal miners	2,411	3
Coachmen, Cabmen.....	1,322	1	Gold and Silversmiths ...	1,878	388
Carters, etc.	2,876	8	Other workers in precious		
Messengers, Porters,			metals	216	869
Watchmen.....	2,678	133	Blacksmiths, Whitesmiths	2,355	4
Others	556	237	Other Iron and Steel		
IV.—AGRICULTURAL CLASS.			manufacturers	10,722	104
Farmers, Farm Laborers	635	14	Tin-plate and Tin-work-		
Gardeners	622	13	ers	163	76
Others	77	1	Lead workers	32	14
V.—INDUSTRIAL CLASS.			Brass, Bronze workers...	578	32
Printers	616	72	White Metal, Plated Ware		
Booksellers, Binders, Li-			workers	1,573	832
thographers, &c.	341	190	Wire workers.....	658	40
Engine & Machine Makers	3,254	131	Costermongers, Hawkers	572	203
Tool Makers	2,241	107	General Labourers	7,014	8
Cutlers and Scissor			Engine Drivers, Stokers		
makers	14,294	2,061	(not Railway).....	1,371	—
File makers	4,509	1,361	Miscellaneous industrial		
Saw makers	1,062	107	occupations	8,167	3,357
Others.....	9	5	VI.—UNOCCUPIED CLASS.		
Watch and Instrument			Retired from business (not		
makers	728	162	Army, Navy, Church,		
Type Founders, Dye			Medicine)	1,363	307
makers, etc.	329	23	Living on own means ...	593	2,843
Others.....	161	25	Others (over 10 years)		
			occupations unspecified	14,961	84,129

TABLE I.

	BLIND.			DEAF AND DUMB.	DEAF.			MENTALLY DERANGED.		
	Total.	From Child- hood.	Others.		Total.	From Child- hood.	Others.	Total.	From Child- hood.	Others.
Sheffield	152	26	126	99	74	5	69	278	42	236

TABLE J.

Total No. of Tenements in Sheffield.	NUMBER OF TENEMENTS WITH—	NUMBER OF OCCUPANTS OF TENEMENTS.											
		1	2	3	4	5	6	7	8	9	10	11	12
67,501	One Room - 407	123	156	64	39	15	6	2	—	2	—	—	—
	Two Rooms 4,499	406	1,262	1,036	746	523	288	166	51	13	7	—	1
	Three „ 16,126	347	2,355	3,118	2,860	2,484	2,030	1,370	884	422	173	61	22
	Four „ 16,738	270	2,369	3,111	3,106	2,661	1,998	1,466	943	478	225	85	26

In the Census instructions a tenement is defined as “ any house or part of a house separately occupied either by the owner or by a tenant.”

In Sheffield there are very few “ tenements ” in the ordinary acceptation of the word, and therefore “ tenement ” practically corresponds to house. As a matter of fact there were 66,783 inhabited houses at the time of the Census enumeration, and the above table shows 67,501 “ tenements.”

In 1881 the number of persons per inhabited house was 4·9, while in 1891 the number was 4·8.

THE FOLLOWING TABLE GIVES THE POPULATION OF THE VARIOUS PUBLIC INSTITUTIONS
AT THE DATE OF THE CENSUS ENUMERATION.

TABLE K.

REGISTRATION DISTRICT.	NAME OF INSTITUTION.	Total No. of Inmates, including Officers, &c.		
		Persons.	Males.	Females.
West Sheffield ...	Hospital for Women	61	3	58
„ „ ...	Public Hospital and Dispensary ...	125	64	61
North „ ...	General Infirmary	235	128	107
„ „ ...	Fever Hospital	69	26	43
Brightside ...	Workhouse	1,267	750	517
Nether Hallam ...	Barracks	870	737	133
„ „ ...	R. C. Industrial School for Girls ...	133	6	127
Upper „ ...	Lodge Moor Hospital	44	8	36
Ecclesall ...	Workhouse	434	265	169
„ ...	Children's Hospital	38	11	27

On board inland barges on Sheffield and Tinsley Canal, 70 persons.

REPORT.

POPULATION.

The estimated population of the Borough for the year 1893 is 333,922, or an increase of 4,337 over that of the previous year.

In Tables I. and II. the population of the different districts of the Borough at the Census of 1881 and 1891 are given, together with the present estimated number of persons living in them, the acreage and density of the population.

TABLE I.—*Showing the Population of each of the Nine Registration Sub-Districts at the Census of 1881 and 1891, also the computed Population at the middle of 1893.*

DISTRICT.	Population 1881.	Population 1891.	Middle of 1893.
Sheffield, West	14,957	14,105	13,907
Do. North	38,982	37,499	37,168
Do. South	17,919	18,411	18,526
Do. Park	19,948	21,401	21,727
Brightside	56,719	67,083	69,612
Attercliffe	26,965	35,883	38,024
Nether Hallam	38,967	46,328	48,167
Upper Hallam	2,513	2,709	2,752
Ecclesall.....	67,538	80,824	84,039
Totals for Borough	284,508	324,243	333,922

TABLE II.—*Showing the Area in Acres, and Number of Persons per Acre in each of the Nine Registration Sub-Districts :—*

DISTRICT.	Area in Acres.	Population 1893.	Persons per Acre.
Sheffield, West	198	13,907	70·2
Do. North	160	37,168	232·3
Do. South	253	18,526	73·2
Do. Park	2,417	21,727	8·9
Brightside	2,821	69,612	24·6
Attercliffe	1,297	38,024	29·3
Nether Hallam	1,538	48,167	31·3
Upper Hallam	6,334	2,752	0·4
Ecclesall.....	4,633	84,039	18·1
Totals for Borough	19,651	333,922	16·9

Sheffield North still continues to be by far the most densely inhabited district, but it must be borne in mind that the densities of population shewn in the districts of the Park, Brightside, Attercliffe, and Ecclesall are very fallacious, owing to the large amount of vacant land in them, and their rural character in many parts.

MARRIAGES.

During the year 2797 marriages took place, or, in other words, 5,594 persons, or 16·7 in every 1000 inhabitants, were married. If we take only persons between the ages of 15 and 60 into account, then we find that only one out of every 35 got married. This is a lower rate than has pertained for many years, and bears out Dr. Farr's statement that the marriage-rate may be taken as an index of prosperity, as it is admitted that, owing to several causes, Sheffield last year experienced greater distress in trade than has been known for a long time.

BIRTHS.

The birth-rate during the year was 34·7, being a slight decrease on that of the previous year, which was 35·2. The birth-rate of the 33 large towns was 31·9, ranging from 36·5 in Gateshead and 36·0 in Liverpool to 24·6 in Halifax and 25·4 in Brighton.

TABLE III.—*Showing the Birth-rate during the year for the whole City, and for each of the Registration Sub-Districts, also the total number of Births, Legitimate and Illegitimate in each.*

District.	Estimated Population in the middle of 1893.	Legitimate.		Illegitimate.		Total.	Birth-rate per 1,000 per annum.
		Male.	Female.	Male.	Female.		
Sheffield, West	13,907	269	239	7	13	528	37·9
Do. North	37,168	696	634	43	23	1,396	37·5
Do. South	18,526	291	277	17	32	617	33·3
Do. Park	21,727	407	400	18	17	842	38·7
Brightside ...	69,612	1,133	1,169	81	56	2,439	35·0
Attercliffe ...	38,024	677	706	34	38	1,455	38·2
Nether Hallam	48,167	807	805	23	27	1,662	34·5
Upper Hallam	2,752	35	36	2	1	74	26·8
Ecclesall ...	84,039	1,237	1,223	56	55	2,571	30·6
Totals ...	333,922	5,552	5,489	281	262	11,584	34·7

Of the 4,584 births, 543 were illegitimate, giving a percentage of 4·6 illegitimate births, as against 4·9 last year.

In the various districts of the Borough the percentages of illegitimate to legitimate births, were as follows :

Sheffield West	3·7
Do. North...	4·7
Do. South	7·9
Do. Park	4·1
Brightside	5·6
Attercliffe	4·9
Nether Hallam...	3·0
Upper Hallam	4·0
Ecclesall	4·3

TABLE IV.—*Showing the Population of Sheffield, and the number of Births and Deaths in past years. The Birth and Death-rates deducible from these figures are also shown.*

YEAR.	POPULATION.	BIRTHS.		DEATHS.	
		Number of Births.	Birth-rate per 1,000 per annum	Number of Deaths.	Death-rate per 1,000 per annum.
1736	14,105				
1801	45,758				
1811	53,231				
1821	65,272				
1831	91,702				
1841	110,891				
1851	142,635	5,946	41·6	4,027	28·2
1861	186,375	7,561	40·5	4,610	24·7
1871	241,506	9,764	40·4	6,843	28·3
1872	245,023	9,973	40·6	6,445	26·3
1873	248,954	10,767	43·2	6,558	26·3
1874	253,645	10,861	42·8	7,009	27·6
1875	257,827	11,026	42·7	6,642	25·7
1876	262,080	11,205	42·7	6,568	25·1
1877	266,401	10,859	40·7	6,154	23·1
1878	270,791	10,895	40·3	7,208	26·6
1879	275,356	10,822	39·2	6,422	23·3
1880	279,800	10,723	38·3	6,410	22·9
1881	284,508	10,814	38·0	5,909	20·7
1882	289,194	10,837	35·4	6,281	21·7
1883	293,001	10,812	36·9	6,755	23·0
1884	296,856	11,272	37·9	6,832	23·0
1885	300,762	10,737	35·6	6,328	21·0
1886	304,720	10,567	34·6	6,130	20·1
1887	308,730	10,389	33·6	6,820	22·0
1888	312,793	9,863	31·5	6,611	21·1
1889	316,901	10,844	34·2	6,841	21·5
1890	321,079	10,691	33·2	8,316	25·9
1891	325,304	11,862	36·4	7,775	23·9
1892	329,585	11,846	35·2	6,840	20·7
1893	333,922	11,584	34·7	7,419	22·2

DEATHS.

7,419 deaths, of which 3,990 were males and 3,429 females, were recorded in the Borough during the year, equal to a death-rate of 22·2 per 1000 of the estimated population. The death-rates in the first and second quarters were 20·8 and 20·6, while it rose to 25·0 in the third quarter. In the last quarter it fell to 22·8.

By means of Table IV. a means of comparison is afforded between the birth and death-rates of previous years, from which it will be seen that the rate last year corresponds with the average death-rate of the previous decade.

In former reports it has been shewn that such a table is only of value for comparing the general health of the City with previous years, and not for comparing its statistics with those of other towns. For the latter purpose certain corrections must be made, and in Table V. the recorded and corrected death-rates, together with the comparative mortality figures, are given for the 33 large towns in England.

TABLE V.—*Recorded and Corrected Death-rates per 1000 persons living in the 33 Great Towns in 1893.*

Towns in the order of their Corrected Death-rates.	Recorded Death-rate.	Corrected Death-rate.	Comparative Mortality figure.
<i>Cols.</i>	<i>1</i>	<i>2</i>	<i>3</i>
ENGLAND AND WALES	19·17	19·17	1,000
ENGLAND AND WALES, less the 33 Towns	17·90	17·62	919
33 TOWNS	21·57	23·32	1,216
CROYDON	16·30	16·99	886
NORWICH	19·28	18·47	963
BRIGHTON	18·42	18·62	971
PORTSMOUTH	18·22	18·63	972
HALIFAX	17·36	19·33	1,008
BRISTOL	18·93	19·78	1,032
NOTTINGHAM	18·46	19·85	1,035
HUDDERSFIELD	17·20	29·00	1,043
DERBY	18·24	20·12	1,050
WEST HAM	18·91	20·40	1,064
PLYMOUTH	21·25	20·66	1,078
GATESHEAD	19·30	20·73	1,081
SWANSEA	19·62	21·43	1,118
LEICESTER	20·01	21·72	1,133
CARDIFF	19·68	21·96	1,146
BIRKENHEAD	20·54	22·58	1,178
LONDON	21·31	22·71	1,185
NEWCASTLE-ON-TYNE	21·00	22·87	1,193
HULL	21·84	22·94	1,197
SUNDERLAND	22·53	23·64	1,233
BRADFORD	20·96	23·99	1,251
OLDHAM	21·01	24·06	1,255
BIRMINGHAM	21·98	24·29	1,267
WOLVERHAMPTON	23·27	24·35	1,270
LEEDS	22·29	24·70	1,288
SHEFFIELD	22·31	24·81	1,294
BURNLEY	21·88	25·13	1,311
BLACKBURN	23·28	26·15	1,364
SALFORD	24·08	27·08	1,413
BOLTON	24·12	27·33	1,426
MANCHESTER	24·90	28·21	1,472
PRESTON	26·37	28·99	1,512
LIVERPOOL	27·34	30·33	1,582

The chief cause of the slightly increased death-rate last year, was the increase in the number of deaths from diarrhœa and phthisis, which, together, accounted for nearly 400 more deaths than in 1892. A high diarrhœa death-rate was only to be expected last year, owing to the exceptional climatic conditions which prevailed, but for the same reason one would have naturally expected that the excessive dryness would have exercised a beneficial influence on all diseases of the respiratory organs.

The death-rate for the 33 large towns of England during 1893 was 21·6, the average for the previous 10 years being 21·3. The lowest death-rates were recorded in Croydon, 16·3; Huddersfield, 17·2; and Halifax, 17·4; while the highest occurred in Liverpool, 27·3, followed by Preston, 26·4, and Manchester, 24·9.

TABLE VI.—Showing the number of deaths, at different ages and from various causes, in each of the nine Registration Sub-Districts, for the year 1893.

DISTRICTS.		AGES AT DEATH.							CAUSES OF DEATH.				
		All Ages.	Under 1 Year.	1 and under 5 Years.	5 and under 15 Years.	15 and under 25 Years.	25 and under 60 Years.	Over 60 Years.	Zymotic Diseases (excluding Diarrhoea).	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Diseases.
Sheffield West	...	415	101	61	15	18	124	96	19	29	32	109	226
Do. North	...	1,139	328	207	39	35	332	198	102	131	100	284	522
Do. South	...	439	130	56	17	20	120	96	23	42	46	96	232
Do. Park	...	540	171	102	19	22	126	100	53	43	23	139	282
Brightside	...	1,454	470	216	49	69	388	262	87	101	100	355	811
Attercliffe	...	764	270	109	22	38	194	131	35	71	49	207	402
Nether Hallam	...	968	305	129	50	49	236	199	96	81	65	210	516
Upper Hallam	...	41	10	2	3	2	13	11	6	2	4	4	25
Ecclesall	...	1,659	453	228	64	77	443	394	126	160	133	328	912
TOTALS	...	7,419	2,238	1,110	278	330	1,976	1,487	547	660	552	1,732	3,928

This Table has been compiled after distributing the deaths which occurred in the various Hospitals and Workhouses over the Sub-Districts from which they were admitted.

TABLE VII.—*Showing the Death-Rate per 1,000 per annum, at various ages and from a number of causes, during the year 1893, in each of the Registration Sub-Districts.*

DISTRICTS.	AGES AT DEATH.							CAUSES OF DEATH.				
	All Ages.	Under 1 Year.	1 and under 5 Years.	5 and under 15 Years.	15 and under 25 Years.	25 and under 60 Years.	Over 60 Years.	Zymotic Diseases (excluding Diarrhoea).	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.
Sheffield West ..	29.84	248.1	46.2	4.6	6.5	22.8	133.3	1.36	2.08	2.30	7.84	16.25
Do. North ...	30.64	301.7	57.7	4.4	4.7	22.9	102.9	2.74	3.52	2.69	7.64	14.04
Do. South ...	23.69	239.8	31.3	3.9	5.4	16.6	100.1	1.24	2.26	2.48	5.18	12.52
Do. Park ...	24.85	269.2	48.6	3.7	5.0	14.8	88.8	2.44	1.97	1.05	6.40	12.98
Brightside ..	20.88	230.9	32.1	3.0	4.9	14.3	72.7	1.24	1.45	1.43	5.10	11.65
Attercliffe ..	20.09	242.8	29.7	2.4	5.0	13.0	66.5	0.92	1.86	1.29	5.44	10.57
Nether Hallam ...	20.09	216.6	27.7	4.4	5.1	12.5	79.8	1.99	1.68	1.34	4.86	10.71
Upper Hallam ...	14.89	123.4	7.5	4.6	3.6	12.1	77.4	2.18	0.72	1.45	1.45	9.08
Ecclesall ..	19.74	184.3	28.1	3.2	4.6	13.5	89.1	1.50	1.90	1.58	3.90	10.85
TOTALS ...	22.22	229.2	34.4	3.5	4.9	15.1	86.0	1.64	1.97	1.65	5.18	11.76

This Table has been compiled after distributing the deaths which occurred in the various Hospitals and Workhouses over the Sub-Districts from which they were admitted.

If, however, the chances of children under 1 year of age attaining the second year of life are small, still smaller are those of illegitimate as compared with legitimate children, owing, of course, to their unfortunate circumstances and the greater tendency there is to their being insufficiently nourished and otherwise neglected.

In 1893 190 legitimate children died under 1 year of age to every 1,000 legitimate births, while 252 illegitimate children succumbed to every 1,000 illegitimate births; or to put it in another form, 5 illegitimate children die proportionately to every 4 legitimate. During the previous five years the corresponding figures have been :—

Year	1888	...	1889	...	1890	...	1891	...	1892
Legitimate (deaths per 1,000)	175	...	171	...	154	...	169	...	164
Illegitimate ,,	242	...	216	...	196	...	195	...	214

The causes of death amongst illegitimate children are shewn in Table VIII., and from it we see how largely diarrhœa, bronchitis, convulsions and inanition are accountable for the high mortality.

CHIEF CAUSES OF DEATH.

These are tabulated in Table VIII., and again are shewn in a more extended classification in Table XI.

ZYMOTIC DISEASES.

The total number of zymotic deaths during the year, including Diarrhœa, was 1,207, equal to a death-rate of 3·61 per 1,000 of the population. This, although somewhat higher than the rate in 1892, is yet lower than that which pertained during the two previous years. The chief increase in the number of deaths in this class took place from Diarrhœa, which was fatal in 660 cases, as compared with 377 in 1892. The fatality of Diarrhœa was very marked all over the country last year, owing, no doubt, to the exceptional heat and drought, and under these circumstances, when combined with the many insanitary conditions favouring the disease in the crowded courts and alleys of the City, a considerable increase in the mortality from this disease was only to be expected. Cleanliness, prompt removal of all decomposing matters around houses, and the judicious feeding of infants, especially careful boiling of all milk, are the great safeguards against the disease; and these precautions cannot be too rigidly enforced if we hope to materially reduce the death-rate from this yearly scourge.

Whooping Cough and Measles both show a considerable decrease compared with 1892, the deaths numbering 129 and 171 respectively, to 232 and 248 in the previous year.

TABLE X.

Affords a means of comparison between the Zymotic Death-rates of Sheffield during 1893, and the 10 years immediately preceding; and also between the rates of Sheffield in 1893, and the average rates of the 33 large towns.

		Birth and Death-rate to 1,000 Persons.		
		SHEFFIELD.		Average for Large Towns, 1893.
		Average for 10 years, 1883—1892.	1893.	
Births	.	34·9	34·7	31·9
Deaths	.	22·2	22·2	21·6
Deaths from Small-Pox	.	0·24	·015	0·07
Do. Measles	.	0·52	0·51	0·44
Do. Scarlatina	.	0·71	0·26	0·29
Do. Diphtheria	.	0·10	0·19	0·43
Do. Whooping Cough	.	0·57	0·38	0·48
Do. Fever	.	0·23	0·26	0·24
Do. Diarrhœa and Dysentery	.	1·08	1·98	1·23
Total for the above 7 Causes	.	3·45	3·62	3·18

SMALL-POX.

This disease, of which we had had 47 cases during 1892, continued to be prevalent during the first half of last year, and then gradually died out in September, as the surrounding districts and towns became free from the infection. The largest number of cases occurred in the months of March and April, viz.: 19 and 31 respectively, and during the whole year 102 cases occurred, of which four resulted fatally. It will be noticed that five deaths are shewn in Table XI., but one of these was an unvaccinated infant which was removed into our hospital from outside the Borough. Of the four deaths, two occurred in males, and in three evidence of vaccination in infancy was found. In the other fatal case vaccination was alleged, but no marks were perceptible.

Out of the total 102 cases there was no evidence of vaccination in seventeen, although some of these alleged that they had been vaccinated in infancy.

79 cases were males and 23 females, while 85 were over 15 years of age, and 17 under that age.

It was only natural to expect that with Small-Pox prevalent in Yorkshire, and especially in the districts immediately surrounding Sheffield, we should not escape the continued occurrence of cases of the disease, and considering the many channels through which infection could be imported into the Borough, it is on the whole satisfactory to find that a greater prevalence of the disease has not to be recorded so far as Sheffield is concerned. In the great majority of instances the source of infection was clearly traced to contact with a person suffering from the disease, or the patient was found to have come from a town where Small-Pox was prevalent. Of the 102 cases in the Borough 35 were males, not having a fixed abode here, and who either lived in common lodging houses or were struck down with the disease while tramping through the town, or as inmates of the Workhouse. To illustrate the dangers of infection to which persons may be exposed owing to the absence of proper supervision over the movements of tramps in times of epidemics, the following incident may be of interest:—In March E. B., a painter living in a good quarter of the town, where no cases of Small-Pox had previously occurred, was notified to be suffering from the disease. Careful enquiry into the possible source of infection failed to discover it. While in the hospital, however, E. B. noticed another patient whom he then remembered having met in the street about a fortnight before he took ill, and who stopped him to enquire the way to the Dispensary. It appears that the patient in question was a stranger to the town, and walked in from Totley in order to see a doctor at the Dispensary about a rash which had come out on him. He subsequently found the Dispensary, and was promptly removed from there to the Small-Pox hospital at Lodgemoor. In another instance a man was found walking in the streets with the rash fully developed on his face and body. Fortunately the police took him at once to the station yard, and he was detained until the ambulance came to remove him to hospital. These cases both serve to exemplify the danger to which a town may be exposed from the presence of a large body of navvies in its neighbourhood, and demonstrate the need that exists for further legislation, both in regard to the compulsory provision of suitable isolation hospitals in connection with all large contract works, and also in regard to the question of the more rigid supervision and detention, if necessary, of tramps in common lodging-houses, where they have been exposed to infection, and are likely to disseminate it.

Apart from those cases which occurred in common lodging-houses and in the work-houses, 76 cases broke out in 60 private houses.

In 49 houses 1 single case occurred.

„	9	„	2 cases	„
„	1 house	3	„	„
„	1	„	6	„

In both the latter instances the disease was only discovered at a late period, and after several members of the family had been attacked.

The fact that in the great majority of instances the disease was limited to one member of the household is eminently satisfactory, and points to the value of early notification, and the adoption of efficient precautionary measures against the spread of infection. The latter consisted, so far as disinfection is concerned, in the removal of all textile articles to the steam disinfecter, fumigation with sulphur, and cleansing of the house with soap and water. By many

authorities the above simple measures would be deemed insufficient, and stripping of all walls, whitewashing, flushing of drains, etc., would be required; but while admitting that these latter measures may be advantageous, I am satisfied that for all practical purposes the means adopted here are sufficient if carefully carried out.

But while the disinfection of the premises is essential, even more important in controlling the spread of the infection of Small-Pox from any house are (1) re-vaccination of all inmates, (2) removal to a house of observation of members of a family who have been exposed to infection for a considerable time, and for whom re-vaccination may be too late; and (3) strict daily supervision over any members of the family not quarantined, and over all friends and neighbours who have recently visited the infected house. During last year 78 persons were removed for observation, but none of them developed the disease.

Every case of Small Pox was promptly removed to the Hospital at Lodge Moor, and in the following tables, for which I am indebted to Mr. Birch Caley, the Medical Superintendent of the Hospital, particulars as to the type of disease, age, and vaccination are given.

TABLE A.
TYPE AND MORTALITY IN RELATION TO VACCINATION.

DEGREE OF VACCINATION.	UNDER 15 YEARS OF AGE.								OVER 15 YEARS OF AGE.							
	<i>Varioloid</i>		<i>Discrete.</i>		<i>Coherent.</i>		<i>Confluent</i>		<i>Varioloid</i>		<i>Discrete.</i>		<i>Coherent.</i>		<i>Confluent</i>	
	ADMITTED.	DIED.	ADMITTED.	DIED.	ADMITTED.	DIED.	ADMITTED.	DIED.	ADMITTED.	DIED.	ADMITTED.	DIED.	ADMITTED.	DIED.	ADMITTED.	DIED.
Unvaccinated ...	—	—	2	—	2	—	3	—	—	—	1	—	—	—	2	—
Alleged Vaccination, no marks visible	—	—	—	—	—	—	—	—	1	—	3	—	—	—	3	1
1 Bad mark	—	—	—	—	—	—	—	—	—	—	4	—	5	—	4	1
2 „ marks.. ...	1	—	—	—	—	—	—	—	4	—	3	—	1	—	3	1
3 „ „ ...	—	—	—	—	—	—	—	—	4	—	5	—	2	—	2	1
4 „ „ ...	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
1 Good mark ...	—	—	—	—	—	—	—	—	4	—	7	—	—	—	—	—
2 „ marks ...	—	—	—	—	—	—	—	—	1	—	7	—	1	—	—	—
3 „ „ ...	2	—	—	—	—	—	—	—	6	—	2	—	1	—	4	—
4 „ „ ...	3	—	—	—	—	—	—	—	4	—	1	—	1	—	1	—
Total.....	6	—	2	—	2	—	3	—	25	—	34	—	11	—	19	4

TABLE B.
TYPE AND MORTALITY IN RELATION TO AGE.

AGE.	<i>Varioloid.</i>		<i>Discrete.</i>		<i>Coherent.</i>		<i>Confluent.</i>	
	TOTAL.	DEATHS.	TOTAL.	DEATHS.	TOTAL.	DEATHS.	TOTAL.	DEATHS.
Under 5 years	—	—	—	—	2	—	1	—
5 and under 10 years	—	—	—	—	1	—	1	—
10 „ „ 15 „	6	—	2	—	—	—	1	—
15 „ „ 20 „	5	—	1	—	2	—	2	—
20 „ „ 25 „	5	—	5	—	—	—	2	—
25 „ „ 30 „	6	—	3	—	3	—	6	1
30 „ „ 35 „	4	—	10	—	2	—	3	1
35 „ „ 40 „	1	—	3	—	1	—	2	1
40 „ „ 45 „	3	—	8	—	2	—	2	—
45 „ „ 50 „	—	—	2	—	—	—	1	—
50 „ „ 55 „	—	—	—	—	—	—	1	1
55 „ „ 60 „	—	—	—	—	—	—	—	—
60 „ „ 65 „	—	—	2	—	—	—	—	—
65 „ „ 70 „	1	—	—	—	—	—	—	—
Total.....	31	—	36	—	13	—	22	4

SCARLET FEVER.

This disease was very prevalent during the whole year, 1826 cases having been notified by medical practitioners. This number considerably exceeds the cases of the disease in 1892 and 1891, but is less than those reported during the first year of general notification, viz., 1890, when 2202 cases were notified. The months when most cases occurred were May and June, a time of year not usually associated with the maximum of seasonal prevalence of this disease. There can be little doubt that the prevalence of the disease was largely due to the mildness of the type in many cases, causing the parents to disregard the exercise of precautions against the spread of infection where the patients were kept at home and attempts to induce them to take advantage of the hospital had proved unavailing.

It is difficult to make parents realize the serious risk of infection that exists to others from cases where the symptoms have been so slight that the child has scarcely to be kept a single day in bed, and the usual consequence, if the child is not isolated in hospital, is that the precautions, which they promise to faithfully carry out, are gradually relaxed, with the result that in a week or two other families living in the same yard are attacked with the disease.

Even if there be space in the house to set aside a room solely for the patient, there cannot be proper isolation unless there is some one to nurse the case who will be content and able to devote her whole time for several weeks to the care of the patient. This the mother usually undertakes to do, and in some cases may carry out her intention so long as the child is ill in bed, but whenever it is well enough to be up, she naturally wearies of her enforced isolation, and persuades herself that since the child is apparently recovered, there can be no harm in her attending to her household duties. Even at this stage it would be of great advantage if we could remove the patient to hospital, but my experience is that unless removal is effected when first the case is notified, there is little hope of afterwards persuading the parents to consent to it.

ENTERIC FEVER.

89 deaths occurred from Enteric Fever during the year, a number in excess of those recorded during several years previously. The number of cases of this disease notified was 452, as against 197, 354, and 374 in the three years 1890—92. This increase, both in the number of deaths and cases, has led me to enquire into the death statistics of this disease during the nine years 1881—1889, previous to the introduction of the Notification of Infectious Diseases Act. The results point to a greater prevalence of the disease in certain quarters of the City than in others, as was indeed to be expected, though hardly to such an extent as the graphic representation of the cases on a map would seem to indicate.

In the following table A, the average death-rate per 100,000 of the population for the nine years 1881—1889, is shewn for each district, and from it we see that the highest death-rate was in Sheffield North, viz.:—29·6, while the lowest was in Upper Hallam, where only three deaths occurred during the nine years.

TABLE A.

	1881—1889.	1890—1893.
Sheffield West - - - - -	19·2	19·5
Do. North - - - - -	29·6	28·6
Do. South - - - - -	18·7	23·0
Do. Park - - - - -	19·3	11·6
Brightside - - - - -	20·1	25·3
Attercliffe - - - - -	19·3	14·6
Nether Hallam - - - - -	16·9	20·3
Upper Hallam - - - - -	12·8	0·0
Ecclesall - - - - -	14·8	14·7

Discarding this district, it is closely followed by Ecclesall, with 99 deaths, and a rate of 14·8.

During the four years, 1890—1893, (Table A) which I take together on account of being the years during which we have had compulsory notification, a considerable variation takes place in the relative positions of the districts. Sheffield North still heads the list with 28·6, while Attercliffe supplants Ecclesall with the lowest rate. A remarkable decrease is noticed in the Park, while Brightside and Sheffield South have both much higher rates than during the previous period.

TABLE B.

						1890—1893.
Sheffield West	-	-	-	-	-	92·4
Do. North	-	-	-	-	-	136·3
Do. South	-	-	-	-	-	103·9
Do. Park	-	-	-	-	-	72·1
Brightside	-	-	-	-	-	120·7
Attercliffe	-	-	-	-	-	71·7
Nether Hallam	-	-	-	-	-	90·5
Upper Hallam	-	-	-	-	-	27·5
Ecclesall	-	-	-	-	-	119·8

On comparing the different districts (Table B) in regard to *cases* which have occurred per 100,000 of the population enumerated at the census 1891, Sheffield North is highest with 136·3, followed by Brightside and Ecclesall. The fact of Ecclesall having such a low death-rate, and yet such a high case rate, must naturally be due to the mortality being less in this district than in others, it may be owing to the disease being of a milder type, or dependent on the presence of some conditions more conducive to recovery than exist in other districts. The following Table shows the percentage of deaths to notified cases in the various districts.

TABLE C.

						1890—1893.
Sheffield West	-	-	-	-	-	21·1
Do. North	-	-	-	-	-	21·0
Do. South	-	-	-	-	-	22·3
Do. Park	-	-	-	-	-	16·1
Brightside	-	-	-	-	-	20·7
Attercliffe	-	-	-	-	-	20·0
Nether Hallam	-	-	-	-	-	22·3
Upper Hallam	-	-	-	-	-	0·0
Ecclesall	-	-	-	-	-	13·7

In considering the returns of deaths and cases with reference to the localities in which they occurred, two points appeared to be deserving of special attention. First, the comparative freedom from the disease of that portion of the town where water closets predominate (or the middens are situated at a considerable distance from the houses); and secondly, the frequent recurrence of cases, sometimes with intervals of months and years between, in yards and houses using a privy midden in common. I am not prepared in the meantime to make any definite statement in regard to the first point until I have had a further opportunity of investigation. In regard, however, to the occurrence of cases in houses using a privy midden in

common or recurrence in the same house, there can be no doubt of the fact, and I hope to be able to show at a future date that in many instances Enteric Fever has reappeared year after year in the same yards and localities after the midden has once received the discharges of an infected person.

This is not to be wondered at when we consider that in the majority of instances the patients have been treated at home, and that the only precaution taken against the spread of infection from the stools deposited in a midden used in common often by twenty families, has been the provision by the Health Department of some liquid disinfectant, with instructions to the householder to add some to every stool before it is thrown into the midden.

Whether these instructions were carried out we have no means of knowing, but there can be little doubt that in very many instances they were not, or at any rate were not performed in such a way as to ensure proper disinfection and safety. Such infected middens would in many instances not be emptied for weeks or months, and even when emptied it would be impossible for them under existing conditions to be rendered entirely free from the infected material.

To remedy this evil, which cannot but be regarded as a great danger, there are two chief means in the absence of a water carriage system; First to provide special pails with air-tight covers to receive the discharges of enteric fever patients, and then to thoroughly disinfect or burn the contents; or secondly to remove every case for treatment in hospital. This latter is in my opinion the best and only safe method of preventing the spread of infection.

Apart altogether from the consideration of danger of infection from the disposal of the discharges when cases are treated at home, I am firmly convinced from recent experience that the risk to other members of the family from thus treating cases is very great, and that far from enteric fever being a disease, which, so far as isolation is concerned, need not be regarded as infectious, it constitutes a very great danger to persons living in close communication with it. I do not refer to cases occurring in houses where it is possible to devote a room entirely to the patient, and to have a trained person, who does not take part in other domestic duties, to nurse the patient, but to small houses where the rooms are in direct communication, and where usually the nurse is the mother or person who prepares the food for the rest of the household. In such cases I think that treatment in hospital should be insisted on, and it would be well if all medical men could be persuaded of the dangers to which I allude, instead of, as often happens, assuring the parents or persons in charge of the patient that the disease is one which may with safety be treated at home, and that it is unnecessary for the case to be removed to the hospital.

INFLUENZA.

100 deaths were registered from this disease during the year as against 33 the year before. It is open to doubt whether they really were cases of true Influenza, and whether the frequent appearance of Influenza on death and sickness certificates now-a-days is not due to a certain difficulty experienced by some in entirely freeing their minds of the habit acquired during the epidemics of 1890, 1891, of ascribing to Influenza a train of symptoms which a few years ago they would have had no difficulty in classifying under a more ordinary disease.

PHTHISIS.

Deaths from this disease shew an increase over the previous year, a fact which was hardly to be expected from the favourable climatic conditions for all respiratory diseases. The large number of deaths annually caused from Phthisis, or Consumption as it is popularly called, and the undoubted evidence collected during recent years that it is an infective disease, and transmittable from person to person by means of the dried expectoration, has led many to advocate the placing of Phthisis among the list of diseases which have to be notified to the Sanitary Authority under the Notification of Infectious Diseases Act, so as to ensure, so far as possible, the exercise of precautionary measures in preventing the spread of the disease. Such precautions take the form of careful destruction of all expectoration by means of disinfectants, the disinfection of handkerchiefs used by such persons and disinfection of houses after fatal cases, together with advice to such persons against indiscriminate spitting in the streets and public places.

Although the practicability of securing notification of all cases is doubtful, it is generally admitted that the exercise of precautions by persons suffering from the disease, both at their own homes and in public places, is highly desirable, and likely to prove advantageous in limiting the spread of the disease.

PLUMBISM.

Six deaths were registered as directly due to lead poisoning, and from the following list it will be seen that five were males and one female. The latter acquired the disease five years ago, during the time so many persons were affected by the condition of the water supply. Four of the men were workers in the file trade, and acquired the disease in the usual way.

Date.	Name.	Sex.	Age.	Occupation.	Cause of Death.
1893					
Mar. 1	R. W.	M.	33	File Cutter -	Plumbism, Bright's Disease.
April 14	E. S.	F.	43	—	Plumbism, Chronic Nephritis, Uræmia.
May 25	R. P.	M.	52	Metal Smith -	Plumbism, Nephritis.
July 17	J. H. G.	M.	33	File Cutter -	Plumbism, Chronic Bright's Disease, Uræmia.
Oct. 29	H. D.	M.	38	File Hardener	Plumbism, Purpura, Hæmorrhage.
Dec. 20	J. H. L.	M.	34	File Cutter -	Plumbism, Morbus Cordis, Dropsy.

NERVOUS SYSTEM.

Diseases of the Nervous System accounted for 950 deaths, as against 901 in the previous year. Nearly half of the deaths in this class were due to convulsions, and occurred under 5 years of age, 357 being infants under 1 year. Apoplexy claimed 245 victims, of whom 124 were males, and 121 females.

RESPIRATORY DISEASES.

The two most fatal diseases under this head were, of course, Bronchitis and Pneumonia. the former causing 944, and the latter 767 deaths, while in both instances about one-third of the deaths occurred in children under 5 years of age.

DISEASES OF THE DIGESTIVE SYSTEM

Also show an increase over the previous year, but this is chiefly due to the large number of deaths registered from Enteritis. This fact is significant when we remember that infantile diarrhœa was prevalent during the summer; and one is inclined to the belief that many so-called cases of Enteritis would have been classified more correctly under the heading "Diarrhœa." This view is strengthened by observing that 93 out of the 154 deaths from Enteritis occurred in infants under one year of age.

UNCERTIFIED DEATHS AND INQUEST CASES.

Sheffield again, unfortunately, occupies a conspicuous position amongst the "large towns," for the great number of uncertified deaths and the comparatively few inquests held. There were 261 deaths uncertified, or 3·5 of the total, while there were only 279 inquest cases or 3·8 per cent. of the total deaths.

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.			Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.			5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 30 years.		30 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.						
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	Total						
ZOOGENOUS DISEASES.																																															
Hydrophobia		
Glanders		
Anthrax		
Splenic Fever		
Cow-pox & other effects of Vaccination		
Total for Zoogenous Diseases		
VENEREAL DISEASES.																																															
Syphilis	35	16	19	14	13	3	1	1	15	17	32	1	1	
Gonorrhœa, Stricture of Urethra	3	3	
Total for Venereal Diseases	38	19	19	14	13	3	1	1	15	17	32	1	1	
SEPTIC DISEASES.																																															
Phagedœna	2	1	1	1	...	1	1
Erysipelas	28	8	20	...	9	...	1	1	1	10	11	
Pyæmia, Septicæmia	8	3	5	1	1	1	...	1	2	3	
Puerperal Fever	27	...	27	4	...	2	
Total for Septic Diseases	65	12	53	1	10	...	1	1	1	2	13	15	...	2	2	...	4	3	14	2	9	...	3	2	2	1	2	
PARASITIC DISEASES.																																															
Thrush	4	1	3	1	3	1	3	4
Other Dis. from Vegetable Parasites
Hydatid Disease
Other Dis. from Animal Parasites	1	...	1
Total for Parasitic Diseases	5	1	4	1	3	1	3	4

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.		Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.		5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.							
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.						
DIETETIC DISEASES.																																												
	Starvation, want of Breast Milk...			
	Scurvy		
	Intemperance { Chronic Alcoholism	3	1	2	
	Delirium Tremens.	2	2		
	Plumbism ...	6	5	1	
Total for Dietetic Diseases	11	8	3
CONSTITUTIONAL DISEASES.																																												
	Rheumatic Fever, Rheumatism of Heart ...	23	12	11
	Rheumatism ...	8	4	4
	Gout
	Rickets ...	5	3	2
	Cancer ...	184	57	127
	Tabes Mesenterica ...	110	68	42
	Tubercular Meningitis, Acute Hydrocephalus ...	76	51	25	
	Phthisis ...	552	351	201
	Other forms Tuberculosis, Scrofula	79	46	33
	Purpura & Hemorrhagic Diathesis
	Anæmia, Chlorosis, Leucoeythæmia	6	4	2
	Diabetes Mellitus ...	12	5	7
	Other Constitutional Diseases	5	3	2
Total for Constitutional Diseases	1060	604	456	91	54	37	20	17	11	7	5	9	5	161	95	256	15	11	11	16	30	24	32	30	75	60	95	67	106	66	60	52	15	33	4	1	...	1	443	361	804			

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.		Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.		5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
DISEASES OF ORGANS OF SPECIAL SENSE.	6	3	3	2	2	...	2	...	1</

TABLE XII.—Mortality in reference to Trades.

DISEASES.	AGES AT DEATH	Grinder.	Cutler.	Tool, Fork and Scissor Forger, &c.	File Cutter, Forger, Hardener.	Engineer, Turner, Fitter, Mechanic.	Bricklayer and Bricklayer's Labourer.	Butcher.	Baker and Confectioner.	Carter, Drayman; Cab, Bus, &c., Driver	Groom and Horsekeeper.	Engine Driver, Tender, Fireman.	Blacksmith and Blacksmith's Striker.	Furnaceman.	Steel Melter, Moulder, Puddler.	Hammerman.	Roller.	Farmer.	Gardener.	Hawker, Coster.	Joiner, &c.	Labourer.	Mason and Builder.	Coal Miner.	Hotel Keeper, Publican, &c.	Boot and Shoe Maker.	Tailor.	Painter, Plumber, &c.	Clerk.	Merchant and Manufacturer.	Silversmith, Chaser, Engraver, &c.	Horn and Bone Cutter, Griuder, &c.	Horn Presser.	Printer, Compositor.	General Shopkeeper.		
Diseases of the Nervous System.	Under 25	1	1	4	..	1	
	25 & " 35	1	1	1	1	1	1	3	..	1	
	35 & " 45	..	3	..	1	1	1	1	1	3	..	1	
	45 & " 55	2	7	1	4	..	1	1	3	1	1	1	1	1	2	..	1	..	1	2	2	2	2	2	..	
	55 & " 65	4	10	1	2	..	3	2	..	1	..	1	2	..	2	1	1	1	3	5	..	1	1	1	1	1	1	..	2	7	1	3	
	65 & upwards.	1	11	3	5	4	1	..	1	2	1	1	1	1	1	1	3	6	..	1	3	..	3	..	2	4	3	1	2	1	1	3	
Total		..	7	31	5	14	4	5	3	2	3	1	3	7	1	3	2	2	..	1	1	8	21	..	3	2	5	2	5	5	5	12	3	1	2	8	
Diseases of the Respiratory System other than Phthisis.	Under 25	5	1	..	2	1	..	3	..	1	1	5	9	2	2	1	1
	25 & " 35	6	1	1	2	2	2	1	1	2	9	2	2	1	1	..	2	4	
	35 & " 45	5	6	1	2	1	2	2	..	3	..	1	..	2	5	2	3	1	2	21	1	5	1	4	2	1	2	2	3	
	45 & " 55	18	9	7	6	3	..	2	..	3	3	4	3	2	2	1	21	4	3	1	1	..	2	3	3	5	4		
	55 & " 65	12	16	7	7	6	5	1	..	3	..	2	..	2	2	2	1	3	5	21	6	8	..	2	1	..	1	3	2	1	1	..	4		
	65 & upwards.	15	27	6	6	6	4	2	..	2	2	..	3	2	1	4	6	1	4	31	7	2	5	3	2	1	..	7	10	2	4		
Total		..	61	60	22	25	18	11	7	..	14	3	10	5	7	13	6	5	5	8	7	9	108	20	20	8	6	4	8	8	14	21	3	1	2	19	
Phthisis.	Under 25	2	4	..	1	2	1	..	1	1	2	..	8	..	2	3	..	2	1	
	25 & " 35	9	6	2	2	1	4	1	1	3	..	1	2	1	6	..	4	2	1	..	3	..	3	..	5	2	..	2	4		
	35 & " 45	13	10	2	2	1	1	..	2	2	1	3	1	1	2	7	6	..	2	1	..	2	..	3	..	5	2	3		
	45 & " 55	16	2	2	8	2	1	..	2	5	10	1	3	1	1	..	2	1	..	6	1	1	3		
	55 & " 65	8	3	2	4	1	1	..	1	3	2	..	5	1	3	1	1		
	65 & upwards.	2	1	1	1	1	..	1	1		
Total		..	50	26	9	18	4	6	2	1	5	4	10	4	1	..	1	7	8	37	7	9	5	3	5	2	10	1	16	4	1	2	10		
Diseases of the Urinary System.	Under 25	1	1	
	25 & " 35	1	1	
	35 & " 45	1	6	1	1	1	..	1	
	45 & " 55	..	2	1	4	..	1	3	2	1	1	..	1	3	1	..	1		
	55 & " 65	..	1	..	1	1	1	1	3	2	2	1	1	1	..	1		
	65 & upwards.	..	3	..	1	1	1	..	1	1	1	3	1	..	1	1	1	1	1	1	1	1	1		
Total		..	1	6	2	12	2	2	..	1	..	1	..	3	1	1	5	6	6	5	2	1	1	4	..	1	3	..	1	..	1	..	1		
Diseases of the Circulatory System.	Under 25	..	2	1	1	3		
	25 & " 35	1	..	1	2	1	1	1	1	..	1	..	1	..	2	..	1	1	1	3	..	6	1	1	..	1	1	
	35 & " 45	1	1	1	2	1	1	1	1	..	1	..	1	1	1	1	1	..	1	1	..	6	1	1	1	1		
	45 & " 55	4	2	1	2	2	1	1	1	..	1	1	1	1	1	1	1	1	1	2	9	..	1	1	..	1	1	1	3	2		
	55 & " 65	3	4	2	1	5	1	1	1	1	1	1	1	1	1	1	1	6	3	4	3	1	1	..	1		
	65 & upwards.	1	3	1	..	2	1	1	1	1	1	1	1	6	..	2	1	2	..	1	..	3	1		
Total		..	10	12	5	5	11	3	2	2	2	2	3	2	5	4	2	2	3	1	9	27	5	7	2	2	..	3	5	3	5	2	1		
Diseases of the Digestive System, exclusive of Liver.	Under 25	1	1	1	1	1		
	25 & " 35	..	2	..	1	1	1	1	1	..	2	..	1	1	1		
	35 & " 45	1	..	1	1	1	1	1	1	1		
	45 & " 55	1	1	1	2	1		
	55 & " 65	1	1	..	1	1	1	1	1	..	1	1	..	1	1		
	65 & upwards.	..	5	..	1	..	1	1	1	1	1	..						

NOTIFICATION OF INFECTIOUS DISEASES.

The number of notifications received during the year are higher than they were in the two previous years ; this is accounted for partly by the prevalence of scarlet fever and partly by the large number of cases of enteric fever and erysipelas reported, while 102 cases of Small-Pox occurred, compared with 47 in 1892 and an entire absence of the disease in the years 1891 and 1890.

The notification of Erysipelas seems to me of doubtful benefit, especially when in many instances it consists of slight facial erysipelas, which tends to recur on slight provocation, but which, nevertheless, has to be notified by the medical man in attendance, in accordance with the Act. So far I have not met with any instance where the disease has spread from the patient to other members of the family, or of any case where benefit resulted from the notification, except, perhaps, in a few instances where the visit of the Inspector was the means of discovering some insanitary condition in the house or its surroundings.

TABLE XIII.—Cases of Infectious Diseases notified during the year 1893, under the Infectious Disease (Notification) Act, 1889.

DISEASE.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPT.	OCT.	NOV.	DEC.	TOTAL 1893	TOTAL 1892	TOTAL 1891	TOTAL 1890
Small Pox ...	9	11	19	31	12	8	5	3	4	—	—	—	102	47	—	—
Scarlet Fever...	168	131	147	166	254	221	152	115	146	124	120	82	1826	1448	1310	2202
Typhus Fever.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
Diphtheria & Membranous Croup ...	26	19	9	17	13	16	6	10	9	19	11	15	170	296	194	276
Continued Fever	2	—	1	6	4	1	—	—	7	8	2	4	35	21	45	40
Enteric Fever.	18	16	9	18	12	4	19	37	124	106	54	35	452	197	354	374
Puerperal Fever	7	3	4	4	10	4	3	4	3	14	2	2	60	49	33	41
Erysipelas ...	34	28	36	29	29	33	31	34	33	41	35	40	403	291	232	209
Totals, 1893.	264	208	225	271	334	287	216	203	326	312	224	178	3048	—	—	—
Totals, 1892.	139	153	181	189	146	160	210	173	187	285	274	252	—	2349	—	—
Totals, 1891.	235	224	179	148	103	108	125	194	175	240	226	211	—	—	2168	—
Totals, 1890.	312	304	275	167	215	265	234	198	264	362	335	228	—	—	—	3159

Cost of Notification in Fees—

	1890			1891			1892			1893		
	£	s.	d.	£	s.	d.	£	s.	d.	£	s.	d.
1st Half-year.....	179	14	0	119	4	0	116	3	0	187	5	6
2nd Half-year.....	192	11	0	142	3	0	167	9	6	178	13	6
Total	£372	5	0	£261	7	0	£283	12	6	£365	19	0

ADMISSIONS TO HOSPITAL.

The great increase of cases admitted to the Hospital is a very satisfactory feature of the work which the Health and Hospital Committees are doing in combating the spread of infectious disease, and speaks to the gradually growing popularity of the Institution, and the confidence of the public in its administration. The isolation of patients suffering from scarlet fever and enteric fever is so important, that no effort must be spared in the future in order to still further increase the percentage of cases admitted.

To accommodate an increased number of scarlet fever cases, and at the same time to retain beds sufficient to cope with limited outbreaks of enteric fever and small pox is impossible under existing conditions, and it has therefore been resolved to erect a separate small pox hospital of 32 beds on vacant land near to Lodge Moor Hospital. This will enable the whole of the latter hospital to be employed for the reception of scarlet fever patients, and give a total number of 170 beds at Winter Street and Lodge Moor for the reception of infectious cases other than small pox.

It is not to be supposed that this will suffice as a final settlement of the question of hospital accommodation for the City, which is not only rapidly increasing, but in which the public are every day more fully recognising the advantages of hospital isolation. As a preliminary extension, however, the new small pox hospital will be a valuable addition, and it is to be hoped that the Hospital Committee will afterwards take into consideration the question of further extension of the general buildings, and the provision of a suitable administrative block at Lodge Moor.

TABLE XIV.—*Shewing the Monthly Admissions to Hospital during the year of cases of each disease, also the number of cases admitted suffering from these diseases during 1890, 1891, and 1892.*

DISEASE.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPT.	OCT.	NOV.	DEC.	TOTAL 1893	TOTAL 1892	TOTAL 1891	TOTAL 1890
Small Pox ...	9	11	19	31	12	8	5	3	4	—	—	—	102	47	—	—
Scarlet Fever..	69	44	78	79	111	113	79	68	68	40	57	39	845	536	374	384
Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
Diphtheria & Membranous Croup ...	—	—	—	1	1	—	—	—	—	—	—	—	2	15	—	—
Enteric Fever	3	7	3	5	6	—	—	—	18	38	16	12	108	69	112	58
Measles ...	—	—	—	—	—	1	—	—	—	—	—	—	1	7	18	11
Other Diseases	—	4	1	2	2	4	1	2	2	—	2	2	22	21	20	14
Total Admissions }	81	66	101	118	132	126	85	73	92	78	75	53	1080	695	524	484

NUISANCES.

Table XV. shows the work carried out by the Inspectors of Nuisances during the year, and reflects credit on the zeal and activity they have displayed in the discharge of duties, it must be confessed, not always of an easy or pleasant nature. It is impossible to please everybody, and in work frequently involving an outlay on property of considerable sums of money, it is only natural that difficulties should sometimes be experienced, especially as there are few questions of dispute which have not two sides from which they may be viewed.

One thing has struck me very forcibly during the last two years since the Health Committee have offered a higher salary to Inspectors, and insisted on enlisting the services of only competent men, which is, that the more technical and practical knowledge the Inspector possesses of his duties, the easier does he get the requirements of a notice carried out, and the less frequent become cases of friction between the Department and owners of property. The owner of property, as a rule, soon detects and distinguishes the experienced practical man from the merely theoretical official, and is usually open to conviction by the former, when the matter is put before him and explained in a practical manner.

**TABLE XV.—SUMMARY OF THE WORK DONE BY THE INSPECTORS OF
NUISANCES DURING THE YEAR 1893.**

NATURE OF CASES DEALT WITH.	REGISTRATION SUB-DISTRICTS.									
	WEST.	NORTH.	SOUTH.	PARK.	BRIGHTSIDE	ATTER-CLIFFE.	NETHER HALLAM.	UPPER HALLAM.	ECCLESALL.	TOTAL.
Total number of Inspections of premises...	1484	3193	1731	4405	3976	4776	4528	654	7681	32428
1. Inspections of premises for nuisances	1051	2172	1202	3700	2287	4212	3230	577	6088	24609
2. Inspections of premises where Zymotic Diseases have occurred	255	723	359	428	1653	410	1137	30	1306	6301
3. Inspections of premises where offensive trades are conducted...	2	11	13	27	—	29	—	—	59	141
4. Inspection of Workshops	155	250	148	139	26	87	134	46	177	1162
5. „ „ Bakehouses	21	37	9	21	10	38	27	1	51	215
Number of complaints investigated	159	274	179	262	263	284	355	61	668	2505
Number of notices issued for abatement or abolition of nuisances...	101	224	162	262	261	274	303	32	586	2205
Number of notices in regard to workshops	7	42	18	14	—	—	3	—	2	86
Number of premises where Zymotic Diseases have occurred	96	402	126	174	583	166	522	14	681	2764
Number of premises, where Zymotic Diseases have occurred, disinfected	75	231	70	121	408	126	326	10	306	1673
Number of houses cleansed, repaired, whitewashed, etc.	17	17	11	41	35	82	38	1	35	277
Number of cases of over-crowding abolished	2	1	—	5	1	4	—	—	2	15
Waste water pipes disconnected from house drains	24	63	104	170	192	308	501	66	747	2175
House drains and water-closets repaired, cleansed, and ventilated	33	60	192	117	236	311	172	—	548	1669
Smoke test applied	4	2	1	4	5	6	27	23	113	185
Old privies and ashpits repaired	41	119	16	111	94	157	127	15	153	833
New privies and ashpits provided	—	8	10	10	12	50	25	1	28	144
New water-closets provided	12	22	10	11	18	12	22	—	55	162
Urinals provided, repaired, &c.	11	25	8	14	10	8	15	—	16	107
Refuse bins provided	—	5	1	32	3	18	13	—	6	78
Accumulations of stagnant water, manure, and other refuse removed	12	34	18	33	4	22	24	5	55	207
Removal of animals improperly kept	5	10	11	5	24	27	63	3	82	230
Yards repaired, flagged, or asphalted	11	25	9	64	12	42	31	2	37	233
Manure bins provided or repaired	2	3	6	6	4	5	7	—	7	40
Impure water supply abolished	—	—	—	6	4	—	—	—	2	12
Legal proceedings for failing to comply with requirements of notices	—	1	2	1	2	—	4	1	1	12
Magistrates' orders for abatement, with costs	—	1	1	1	2	—	3	1	1	10
Proceedings withdrawn on performance of work and payment of costs	—	—	—	—	—	—	1	—	—	1
Cases dismissed	—	—	1	—	—	—	—	—	—	1

The total number of inspections is very nearly as large as in 1892, and very much in excess of those of previous years. The inspections of workshops also, I am glad to say, show an increase over those of 1892, being 1,162 as against 700. But still it is unsatisfactory to find that scarcely two-thirds of the whole number have been visited. This is due to the work having been relegated to the Inspectors of Nuisances, who have already sufficient duties to occupy their whole time. It must not be supposed that the inspection of such places merely involves the putting of the head inside the door of the workshop and easting a hasty glance around to see that the premises are apparently clean; efficient inspection involves much more than this, as I have previously pointed out, and in my opinion the only way in which it can be properly accomplished is by appointing a special inspector or inspectors. If the inspection of workshops is really valuable for the health and welfare of a large body of ratepayers and their families, and of this I think there can be any little question, then the duty should be strictly carried out and the law enforced.

The question of the substitution of water-closets for privies has been steadily advanced, and the figures given in the table merely represent those which have been converted by official notice, and takes no account of many which have been introduced voluntarily and at the owner's or tenant's whole expense. So far the Health Committee have felt their hands tied in the matter of requiring a large number existing privies to be converted into water-closets, owing to the fact that the third of the cost payable by the Corporation had to be found out of the rates. At the end of the year, however, the Corporation applied to the Local Government Board for powers to borrow £90,000 for this purpose, which power has recently been granted, so that in the future it will be possible to push forward the scheme for a more sanitary disposal of refuse than at present exists, and on a scale more adequate to the urgent necessities of the case.

The work of paving and draining yards under the powers obtained in the last Local Act has made good progress, and is an inestimable benefit to the health and comfort of inhabitants of the poor and crowded quarters of the town.

In view of the presence of cases of cholera in the country during the summer and autumn, special vigilance was exercised by the Sanitary staff in scavenging, whitewashing and cleansing generally, while precautions were adopted for the prompt removal and treatment of any cases which might occur. Fortunately we escaped a visitation of the disease, and suffered from nothing more serious than three or four rapid deaths in adults from diarrhoea, which at first aroused the suspicion of being due to cholera.

SMOKE ABATEMENT.

TABLE XVI.—*Summary of Work done during the year.*

PARTICULARS.				
Number of complaints received during the year	23
Number of observations of chimneys	6157
Average number of minutes of black smoke per hour	2·8
Number of notices served on manufacturers	81
Number of new chimneys erected	10
Number of furnaces altered or re-arranged	6
Number of chimneys raised	9
Number of boilers put down	31
Number of smoke-consuming apparatus introduced	34

During the year the procedure in regard to the method of dealing with the smoke nuisance remained the same as in the previous year; that is to say, hourly observations were carried out by the Inspectors, and a notice to abate served for any emission of black smoke, exceeding six minutes in the hour, in the case of chimneys to which more than three boilers or furnaces were attached, and for any emission of black smoke exceeding four minutes where no furnaces or less than four boilers were attached. After the service of a notice the chimney is kept under close observation during the six months that the notice is in force, and on a second offence the Committee order a summons to be taken out against the owner, unless there are special extenuating circumstances in the case.

Judging from the results of subsequent observations in such cases, it is evident that in the large majority of instances the cause of the emission of black smoke, exceeding the limits above mentioned, was (except in the case of “ muffle ” furnaces) carelessness on the part of the stoker or engineer, since in nearly every instance after a notice was served, a very great and sustained improvement at once took place in the quantity of smoke emitted.

As will be seen from the subjoined table of particulars in regard to the subject of each notice, some firms had already adopted some form of smoke-preventing appliance, and others on receipt of the notice at once took measures to have an apparatus fixed. A glance at the list will show how many chimneys, the subject of complaint, had furnaces attached to them, and therefore how different the difficulties of dealing with this question are in Sheffield compared with the large majority of towns.

It is satisfactory to record that the average number of minutes of black smoke observed per hour, as a result of 6,157 hourly observations, was only 2·8, whereas the corresponding figures since 1885 have been as follows :

1885	10·
1886	9·
1887	9·7
1888	10·
1889	11·
1890	7·
1891	6·3
1892	5·2
1893	2·8

One firm was summoned during the year, and a Magistrate's order obtained for the nuisance to be abated. The firm gave up business shortly afterwards, and no further proceedings were taken.

TABLE XVII.—SMOKE ABATEMENT.

Number of Chimney.	Boilers, Furnaces, &c., attached.	Number of minutes for which Notice was served.	Smoke-consuming Apparatus (if any) at the time Notice was served.	REMARKS.
T.S.B. 58	1 Boiler	10	Steam forced through bars	Have raised the chimney and put in patent bars
D. 28	1 „	9		
16	1 „	13		
102	1 „ and 3 Furnaces ...	20	Pipes admit air in tubes	Only use it a few hours a week Have put in Hollow Bridges Have put Oates' Apparatus on one boiler Have fixed Oates' Apparatus Are putting down new boilers
C. 9	2 Boilers	8	Hollow Bridges	
57	4 „	8		
P.C. 104	4 „ and 6 Furnaces ...	14	„ „	
T.M. 96	2 „ and 1 Furnace ...	15		
S.S. 100	1 Boiler and 2 Furnaces ...	16	Hollow Bars	
C. 38	1 „	7		
126	3 Boilers	12	Movable Bars	
C. 150	2 „ and 1 Furnace ...	11		
C.W. 143	2 „	13		
B. 8	1 Boiler and 2 Furnaces ...	9		
D. 16	2 Boilers	21		
B.S. 63	1 Boiler and 1 Furnace ...	8		

TABLE XVII.—Continued.

Number of Chimney.	Boilers, Furnaces, &c., attached.	Number of minutes for which Notice was served.	Smoke-consuming Apparatus (if any) at the time Notice was served.	REMARKS.
T.S.A. 58	1 Boiler	8		
129	1 „	7		
T6, S.B. 143	4 Boilers and 5 Furnaces...	17		
B. 113	5 „	18	Hollow Bridges	Have put down two larger boilers, & attached Oates' Apparatus
C. 144	1 Portable Boiler	12		
D. 144	1 Furnace	5		
D. 150	1 Boiler and 1 Furnace	15		
144	2 Boilers	10		
90	1 Boiler	9		Have attached Edgar and Saxton's Apparatus
92	2 Boilers and 2 Furnaces	18		
64	1 Portable Boiler	10		
N.S.M. 96	5 Boilers	14		
S.S. 166	2 „	10		
D. 50	1 Portable Boiler	8		
D. 39	3 Boilers	16		
38	1 Boiler	9		
C. 63	2 Boilers and 2 Furnaces	15	Oates' apparatus on one boiler	Intend to attach Oates' apparatus to the other boiler
C, 82	3 „ „ 6 „ „	19		Have put down 2 new boilers and erected new chimney
174	7 „ „ 1 Furnace...	13	Hollow bridges	
T.B.P.S. 103	1 Loco. Boiler	10		Have attached Oates' Apparatus
B.S 63	1 Boiler and 1 Furnace	12		Are putting down new boilers
109	1 „	16		
T.S. 95	2 Boilers	15	Hollow dead plates	
G. 50	1 Boiler	14	Steam and oil apparatus	
B. 96	2 Boilers	11	Hodgkinson's Stokers	
B.S.B 104	6 „	17	Hollow bridges	
57	2 „	20		Have put in hollow bridges
B.4.S. 15	6 „	13	Hollow bridges	
B.6.S. 15	6 „	14	Hollow bridges	
B. 81	1 Portable Boiler	5		
C. 4	9 Boilers	11		
B. 41	1 Boiler	11		Air admitted along the sides of furnace
87	1 „	11	Whitaker's Stokers	Hollow bridges added
55	2 Boilers	7		Large boiler put down and fitted with mechanical stokers
21	1 Boiler	7		Now fitted with hollow bridges and air valves
C. 30	1 „	12		
65	1 „ and 1 Pan	10		
B. 73	1 „ „ 1 „	8		Edgar & Saxton's Apparatus attached
B. 151	1 „	6		Argand bridges put in
13	3 Boilers, and 1 Vertical...	12		„ „ „
27	1 Boiler	8		Saunders' patent
147	2 Boilers	6		
171	1 File Furnace	Dense		Chimney raised
B. 164	1 Vertical Boiler	7		Baffle plate now used
19	1 Boiler	7	Hollow bridges	
2	2 Boilers	7		
B. 181	1 Vertical Boiler	Dense		Chimney to be raised
184	1 „ „	6		Coke now used
199	3 Boilers	9		Two are now fitted with hollow bridges
B. 77	1 Boiler and 2 Pans	11		
B. 128	1 „	8		Hollow bridges with air valves put in
84	1 „	6		Defective flues
A. 179	2 Boilers and 1 Furnace...	7		The furnace flue has been diverted into low furnace chimney
41	2 „	5		Two new boilers put in. Defective flues and stack

TABLE XVII.—Continued.

Number of Chimney.	Boilers, Furnaces, &c., attached.	Number of minutes for which Notice was served.	Smoke-consuming Apparatus (if any) at the time Notice was served.	REMARKS.
B. 123	1 Boiler and 1 Pan	...	10	
B. 2	1 ,,	7	
B. 32	1 Boiler	6	Hollow bridges have been put in New boiler and new stack. Edgar & Saxton's Apparatus attached
181	2 Boilers	6	
175	1 Boiler	5	
A. 73	1 ,,	5	
B. 180	1 ,, and 1 Pan	...	14	Hollow bridges put in Steam jets now fitted to pan
115 ⁽²⁾	1 Pan	10	One-third coke now used
53	3 Boilers	12	Hollow bridges put in
A. 186	1 Portable Boiler	...	5	Chimney raised and coke principally used
B. 189	1 Boiler	6	

MEAT INSPECTION, SLAUGHTER-HOUSES, ETC.

The amount of meat, fish, and fruit condemned by the Meat Inspector is shown in the following Table :

TABLE XVIII.—Showing the amount of Meat, &c., condemned as unfit for human food during the year 1893.

MEAT, ETC.		FISH.		FRUIT AND VEGETABLES.	
111½	Carcases of Beef				
56	Pieces ,,	2	Boxes, Barrels, &c., of Cod		
86	Hearts	1	,, ,, Conger Eel		
1	Tongue	1	,, ,, River Eel		
70	lbs. of Salt Beef	2	,, ,, Dab		
69	Carcases of Mutton	20	,, ,, Herrings		
3	Pieces of ,,	2	,, ,, Halibut		
231	Sheeps Heads and Plucks	10	,, ,, Haddock	23	Boxes, Barrels, &c., of Pears
3	Carcases of Goat	14	,, ,, Hake		
9	,, ,, Pork	247	,, ,, Kippers	10	,, ,, Cherries
7	cwt. ,, ,,	24	,, ,, Ling		
38½	Carcases of Veal	4	,, ,, Mixed Fish	1	,, ,, Oranges
5½	cwt. Veal	3	,, ,, Plaice		
1	Carcase of Lamb	2	,, ,, Salmon	17	,, ,, Mushrooms
52	Shoulders of Bacon	2	,, ,, Salmon Trout		
3	cwt. Black Pudding	3	,, ,, Sprats		
48	Brace Black Game	1¾	,, ,, Witches		Weight, 1 ton 17 cwt.
76	Hares	21	,, ,, Whelks		
5	Couples of Fowls	24	,, ,, Cockles		
138	Pigeons	110	,, ,, Mussels		
121½	Couples of Rabbits	20	,, ,, Shrimps		
12	Dozen Rooks	11	,, ,, Prawns		
Weight, 24 tons 19 cwt.		Weight, 11 tons 5 cwt.			

For the most part this has all been voluntarily given up by the owners, and was not “seized” in the ordinary acceptation of the word. I am glad to be able to acknowledge the help that most of the butchers in the City afford us by sending intimation to the Inspector when meat of doubtful character comes into their possession. Without this assistance it is clear that a single Inspector could not overtake the work ; and, as it is, with nearly 200 slaughter-houses to supervise, it is quite certain that many unsound carcasses must pass into consumption without inspection, which would otherwise have been condemned as unfit for food. There are black sheep in every trade and community, and there is no reason to suppose that butchers enjoy an immunity from this class. At present, however, with inadequate means of inspection, the public and the honest traders suffer for the faults of the unscrupulous.

Of the 111 carcasses of beef included in the above table, 70 were condemned as unfit for food, on account of being affected with Tuberculosis.

DAIRIES, MILKSHOPS, AND COWSHEDS.

The work of the Inspector under the Dairies, Milkshops, and Cowsheds Order has been of a very satisfactory character, and much credit is due to him for the vast improvement which has taken place in the cowsheds of the Borough during the last two years. In a previous report I had occasion to refer to the very insanitary condition of a great majority of them, and it is therefore a great pleasure and satisfaction to be able to record the improvement that has taken place both structurally and in regard to cleanliness. A considerable number of those which have been altered will compare favourably with the best to be found in the country, and I trust that the time is not far distant when all will have been satisfactorily dealt with, and thus a great advance be accomplished towards insuring the purity of one of the chief sources of food supply. Regulations drawn up under the above order received the sanction of the Local Government Board, and came into force in the month of July, and should prove of benefit in the administration of the Order.

TABLE XIX.—DAIRIES, MILKSHOPS, AND COWSHEDS.

INSPECTIONS.—(a) Of Cowsheds	2292	
(b) Of Milkshops	959	
(c) Of Milk Vessels in the streets... ..	334	
(d) Of Cowsheds without the City (under the Sheffield Corporation Act, 1890)	1	3586
NOTICES SERVED.—(a) under the Order of 1885	76	
(b) Verbal	28	104
ALTERATIONS AND IMPROVEMENTS EFFECTED :		
(a) By written notice	56	
(b) By verbal notice	28	84
(a) IN COWSHEDS.—New Cowsheds built... ..	13	
Improvements in lighting and ventilation	49	
Do. „ flooring	45	
New drainage provided	39	
Air space increased	42	
Communication with stables, manure-pits, pig-styes, &c., cut off	17	
Grain troughs removed from within cowsheds	22	
Manure receptacles provided	6	
Yards paved, &c.	10	
Sanitary trough mangers provided	43	
Corporation water laid on	7	
Cowsheds closed during the year (a) by order	7	
Do. do. (b) voluntarily	28	
(b) IN DAIRIES AND MILKSHOPS.—New Dairies built	2	
Cupboards fixed	8	
Improvements in lighting and ventilation	2	
Milk Vessels found dirty on inspection	9	
Dairies and Milkshops closed during the year	114	
INFECTIOUS DISEASES.—(a) On Cowkeepers' premises	11	
(b) On Milk sellers' do.	3	
(c) On Cowkeepers' do. outside the City... ..	1	
CHANGES IN OCCUPATION.—(a) Of Cowsheds	49	
(b) Of Milkshops and Dairies	165	
REGISTERED DURING THE YEAR.—(a) Cowkeepers	45	
(b) Milk sellers	101	
PRESENT NUMBER ON INSPECTOR'S BOOKS.—(a) Cowsheds	288	
(b) Milkshops	298	
(c) Purveyors from without the City	74	
LEGAL PROCEEDINGS TAKEN FOR:		
(a) Dirty Cowsheds ... Fined 20s. including costs ...	1	
(b) Occupying Cowshed without giving notice to Sanitary Authority } „ 10s. „ „ ...	1	

TABLE XX.—INSPECTION OF SLAUGHTER-HOUSES, TRIPE-BOILING HOUSES, &c.

No. of Slaughter-houses in use previous to 1865.	No. of Slaughter-houses on the Register of 1865.	No. of Slaughter-houses on the Register of 1875.	No. of Licenses under the Sheffield Corporation Act.	No. of Horse Slaughter-houses on the Register.	Total No. of Slaughter-houses on the Register.	No. of Visits to Slaughter-houses.	No. of Visits to Shops and Stores.	No. of Tripe-Boiling Premises in use.	No. of Visits to Tripe-Boiling Premises.
54	53	80	6	2	195	2947	1873	22	177

Four persons were summoned for slaughtering on unlicensed premises, three of whom were convicted and fined, while the case against the fourth was dismissed.

During the year 19 changes of occupation of slaughter-houses have been recorded, while one slaughter-house has been demolished.

HOUSING OF THE WORKING CLASSES ACT, 1890.

36 houses were condemned under Part II. of this Act as unfit for human habitation during the year, viz., 3 in Sheffield North, 3 in South, 24 in Park, 5 in Brightside, and 1 in Ecclesall.

Of these 4 have been repaired and the remaining 32 closed ; 24 of these latter are now being put in repair.

The following is a list of the properties condemned :—

Pitsmoor road	...	No. 8, 9, and 10 in 1 court
„ „	...	No. 1 in 3 court
„ „	...	No. 1 in 5 court
Hermitage street	...	No. 6 in 10 court
Pea croft	...	Nos. 47, 49, 51
Stepney street	...	Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, and 17 in 1 court
Shude hill	...	Nos. 24, 26, and 28
Park Hill lane	...	Nos. 1, 2, 3, 4, 5, 6, 7, 8, and 9 in 20 court

Under Part I. I received an official representation from 12 Ratepayers in regard to a crowded and insanitary area in the centre of the town, and the following is a copy of my report to the Health Committee upon it :

On 29th March the Council passed a resolution that an improvement scheme should be prepared, and on 28th February of this year an inquiry was held by the Local Government Board, in regard to the scheme, which provides for the demolition of the houses on the whole area, and the re-construction of suitable houses, with streets of 50 and 40 feet width.

The cost of the land and demolition of existing buildings is estimated to be £80,000.

HEALTH OFFICE,

MARCH 6TH, 1893.

To the Chairman and Members of the Health Committee.

Gentlemen,

In submitting a representation on the above area, in accordance with a requisition signed by twelve ratepayers of the City, I have prepared a table of the statistics of the area referred to, which shews, with approximate accuracy, the population under and over five years of age, the area in square yards—excluding, however, the space occupied by the contained streets, viz., Hawley Croft, School Croft, and Sims Croft,—the density of population, number of houses occupied and unoccupied, the number of deaths and death-rates.

In order to facilitate the consideration of the subject and any scheme which may be formed for dealing with the Area, I have divided the whole into four Sub-Areas, and have included in the representation the houses bounded by Sims Croft and Townhead Street (Area 4), although not referred to by the requisitionists.

I found that this latter portion of the Crofts could not be differentiated from the other parts as regards its sanitary condition, and I considered that it ought, both for this reason, and from its position, to be included in the representation.

AREA

The whole Area (excluding the above streets) comprises 21,932 square yards, or about $4\frac{1}{2}$ acres.

POPULATION.

The population amounts to 1,221, of whom 168 are under 5 years and 1,053 over that age. This population is to some extent a constantly changing one, due to the number of lodging-houses and the poor character of the tenants; so that in all probability, owing to these causes and the fact of a considerable number of houses being unoccupied at present, the number given above is less than the average actual population.

DENSITY.

The density of population is 271 persons to the acre; whereas the density for the West district in which the Area is situated, according to the recent census, was 71, and of the whole City, 16·5.

These figures shew that as regards overcrowding the Area stands in a very much worse position than the remainder of the District to which it belongs, and indeed than any of the other Districts of the City.

MORTALITY.

In considering the mortality of the Area I have taken the deaths for the last six years, and find that the total number from all causes is 227, of which no fewer than 112 must be debited to pulmonary and tubercular diseases. It may be asked why these two diseases have been specially selected apart from other causes of death, and the answer is because they form the truest index to the vitality and constitutional strength of the inhabitants.

An insanitary area may, broadly speaking, exhibit its effects on the inhabitants in two different ways, dependent, however, on practically the same causes.

On the one hand, owing to the continual presence of filth and dirt of all sorts in the houses and their surroundings, to want of drainage causing a damp soil and damp houses, to absence of sufficient light and ventilation, the persons condemned to live under such conditions may shew no other effect than a gradual and insidious deterioration of their constitutions and inability to withstand the attack of ordinary everyday diseases, such as bronchitis, pneumonia, measles, and whooping cough; or the children acquire the tubercular taint, and die rapidly from “decline,” diarrhoea, or some other manifestation of the disease, unless indeed they are spared for a time, only to fall victims to consumption in later life.

On the other hand, the presence of insanitary conditions in an area may, in addition to causing the above-mentioned effects, give rise to certain infectious diseases, such as Typhus and Enteric Fever and Diphtheria; or when these have been once introduced, foster them so that they become practically endemic, notwithstanding all precautionary measures.

In the present instance I have not found that there has been an excessive number of deaths from any of the above three diseases during the last six years, but a consideration of the death-rates shews that the more gradual though none the less certain effect of insanitary conditions has exerted its influence on the inhabitants, causing a much higher death rate among them than throughout the City generally.

DEATH-RATES.

The average annual death-rate of the whole City for the last six years was 22 per 1,000, while in the Area it was 31·0; or put in another way, for 100 people dying in the City, 140 died in the Area.

It is seen from the tables that the death-rate from pulmonary and tubercular diseases is no less than 15·2 in the special Area, while for the whole city it is under 8 per 1,000, or nearly half.

A good test of the sanitary condition of a neighbourhood is to be found in the mortality under five years of age. Children are more susceptible than adults of being affected by insanitary conditions: they live continuously all day long, month after month, in the unhealthy atmosphere, amidst the squalor and dirt, and hence we find that a high rate amongst them nearly always points to unhealthy and preventible causes.

In the present instance, it is found that while the death-rate under five years in the whole City is 69 per 1,000 living under that age, and in the West district 88 per 1,000, in the Area it is 106; or taking the deaths under five years in the City as 100, then 120 die in the West district and 151 in the Area.

The statistics of the Sub-Areas give similar results, although in Number I. they are more favourable than in the others, or than in the area as a whole.

I fear we cannot regard the above figures as accurately representing the total number of deaths which ought to be debited to the prescribed Area, since, in a population such as we are dealing with, many go to die in the Workhouse or in the other hospitals of the town. I am unable to say how many these amount to, but there can be little doubt that they would form no inconsiderable number.

In considering the general sanitary state of the Area, I think that Sub-Area I. is in some respects in a much better condition than any of the others; there are fewer back-to-back houses, the courts are more open, and the condition of the houses themselves is better. In it, however, along with the others, there are defects, which can only be radically dealt with.

It is impossible to specify all the insanitary conditions which exist in the whole Area, but the chief are the overcrowding, the confined courts, the absence of proper drainage and paving, causing dampness and fouling of the soil and houses; the privies, which are often abutting on, or in close proximity to houses, and especially in Sub-Areas II. and IV., the back-to-back character of the houses.

In my opinion it will be impossible to effectually remedy many of these conditions without demolishing some of the existing properties so as to reduce the overcrowding and permit of the admission of light and air, and the provision of suitable conveniences.

HARVEY LITTLEJOHN,
Medical Officer of Health.

TABLE I.

Average Death-Rate of Sheffield, for six years, 1887—1892	22·2 per 1,000 living.
Average Death-Rate in the West District, 1887—1892	29·2 „ „
Average Death-Rate of Sheffield, under 5 years of age, 1887—1892...	69·3	„	„ under 5 years.
Average Death-Rate, under 5 years of age, in the West District,			
1887—1892	88·0 „ „ „

THE CROFTS INSANITARY AREA.

Reference

Area 1
Population 398
Area 1220 Sq. Yds.
Density 266 persons per acre
Deathrate 23.4

Area 2
Population 343
Area 6937 Sq. Yds.
Density 245 persons per acre
Deathrate 34.0

Area 3
Population 277
Area 4472 Sq. Yds.
Density 301 persons per acre
Deathrate 31.8

Area 4
Population 208
Area 3503 Sq. Yds.
Density 298 persons per acre
Deathrate 39.4

Russell's Hotel (RH)

Temper Street

Hawley Lane

Silver Street

Lee Croft

Head Street

St. William's R.C. Chapel (Seats for 400)

School Boys & Girls

Court No. 1

Court No. 2

Court No. 3

Court No. 4

Court No. 5

Court No. 6

Court No. 7

Court No. 8

Court No. 9

Court No. 10

Court No. 11

Court No. 12

Court No. 13

Court No. 14

Court No. 15

Court No. 16

Court No. 17

Court No. 18

Court No. 19

Court No. 20

Court No. 21

Court No. 22

Court No. 23

Court No. 24

Court No. 25

Court No. 26

Court No. 27

Court No. 28

Court No. 29

Court No. 30

Court No. 31

Court No. 32

Court No. 33

Court No. 34

Court No. 35

Court No. 36

Court No. 37

Court No. 38

Court No. 39

Court No. 40

Court No. 41

Court No. 42

Court No. 43

Court No. 44

Court No. 45

Court No. 46

Court No. 47

Court No. 48

Court No. 49

Court No. 50

Court No. 51

Court No. 52

Court No. 53

Court No. 54

Court No. 55

Court No. 56

Court No. 57

Court No. 58

Court No. 59

Court No. 60

Court No. 61

Court No. 62

Court No. 63

Court No. 64

Court No. 65

Court No. 66

Court No. 67

Court No. 68

Court No. 69

Court No. 70

Court No. 71

Court No. 72

Court No. 73

Court No. 74

Court No. 75

Court No. 76

Court No. 77

Court No. 78

Court No. 79

Court No. 80

Court No. 81

Court No. 82

Court No. 83

Court No. 84

Court No. 85

Court No. 86

Court No. 87

Court No. 88

Court No. 89

Court No. 90

Court No. 91

Court No. 92

Court No. 93

Court No. 94

Court No. 95

Court No. 96

Court No. 97

Court No. 98

Court No. 99

Court No. 100

Court No. 101

Court No. 102

Court No. 103

Court No. 104

Court No. 105

Court No. 106

Court No. 107

Court No. 108

Court No. 109

Court No. 110

Court No. 111

Court No. 112

Court No. 113

Court No. 114

Court No. 115

Court No. 116

Court No. 117

Court No. 118

Court No. 119

Court No. 120

Court No. 121

Court No. 122

Court No. 123

Court No. 124

Court No. 125

Court No. 126

Court No. 127

Court No. 128

Court No. 129

Court No. 130

Court No. 131

Court No. 132

Court No. 133

Court No. 134

Court No. 135

Court No. 136

Court No. 137

Court No. 138

Court No. 139

Court No. 140

Court No. 141

Court No. 142

Court No. 143

Court No. 144

Court No. 145

Court No. 146

Court No. 147

Court No. 148

Court No. 149

Court No. 150

Court No. 151

Court No. 152

Court No. 153

Court No. 154

Court No. 155

Court No. 156

Court No. 157

Court No. 158

Court No. 159

Court No. 160

Court No. 161

Court No. 162

Court No. 163

Court No. 164

Court No. 165

Court No. 166

Court No. 167

Court No. 168

Court No. 169

Court No. 170

Court No. 171

Court No. 172

Court No. 173

Court No. 174

Court No. 175

Court No. 176

Court No. 177

Court No. 178

Court No. 179

Court No. 180

Court No. 181

Court No. 182

Court No. 183

Court No. 184

Court No. 185

Court No. 186

Court No. 187

Court No. 188

Court No. 189

Court No. 190

Court No. 191

Court No. 192

Court No. 193

Court No. 194

Court No. 195

Court No. 196

Court No. 197

Court No. 198

Court No. 199

Court No. 200

Court No. 201

Court No. 202

Court No. 203

Court No. 204

Court No. 205

Court No. 206

Court No. 207

Court No. 208

Court No. 209

Court No. 210

Court No. 211

Court No. 212

Court No. 213

Court No. 214

Court No. 215

Court No. 216

Court No. 217

Court No. 218

Court No. 219

Court No. 220

Court No. 221

Court No. 222

Court No. 223

Court No. 224

Court No. 225

Court No. 226

Court No. 227

Court No. 228

Court No. 229

Court No. 230

Court No. 231

Court No. 232

Court No. 233

Court No. 234

Court No. 235

Court No. 236

Court No. 237

Court No. 238

Court No. 239

Court No. 240

Court No. 241

Court No. 242

Court No. 243

Court No. 244

Court No. 245

Court No. 246

Court No. 247

Court No. 248

Court No. 249

Court No. 250

Court No. 251

Court No. 252

Court No. 253

Court No. 254

Court No. 255

Court No.

WHOLE AREA.

Population.			Area in Square Yards.	Density of Population per Acre.	Houses.		Causes of Death. Six Years, 1887-1892.				Average Death-Rates per 1,000 Persons Living (Six Years).			
Total.	Under 5 Years.	Over 5 Years.			Occupied	Un-occupied	All Causes.		Pulmonary and Tubercular Diseases.	Other Causes.	All Causes,		Pulmonary and Tubercular Diseases.	Other Causes
							Total.	Under 5 Years.			Total.	Under 5 Years.		
1221	168	1053	21932	271	291	83	227	107	112	115	31·0	106·1	15·2	15·7

SUB-AREA 1.

Population.			Area in Square Yards.	Density of Popu- lation per Acre.	Houses.		Causes of Death. Six Years, 1887-1892.				Average Death-Rates per 1,000 Persons Living (Six Years).			
Total.	Under 5 Years.	Over 5 Years.			Occupied	Un- occupied	All Causes.		Pulmonary and Tubercular Diseases.	Other Causes.	All Causes,			
							Total.	Under 5 Years.			Total.	Under 5 Years.	Pulmonary and Tubercular Diseases.	Other Causes
398	58	340	7220	265	82	8	56	29	30	26	23·4	86·3	12·5	10·9

SUB-AREA 2.

Population.			Area in Square Yards.	Density of Popula- tion per Acre.	Houses.		Causes of Death. Six Years, 1887-1892.				Average Death-Rates per 1,000 Persons Living (Six Years).			
Total.	Under 5 Years.	Over 5 Years.			Occupied	Un- occupied	All Causes.		Pulmonary and Tubercular Diseases.	Other Causes.	All Causes,		Pulmonary and Tubercular Diseases.	Other Causes
							Total.	Under 5 Years.			Total.	Under 5 Years.		
343	44	299	6937	245	84	20	70	33	32	38	34·0	125·0	15·5	18·4

SUB-AREA 3.

Population.			Area in Square Yards.	Density of Population per Acre.	Houses.		Causes of Death. Six Years, 1887—1892.				Average Death-Rates per 1,000 Persons Living (Six Years).			
Total.	Under 5 Years.	Over 5 Years.			Occupied	Un-occupied	All Causes.		Pulmonary and Tubercular Diseases.	Other Causes.	All Causes,		Pulmonary and Tubercular Diseases.	Other Causes
							Total.	Under 5 Years.			Total.	Under 5 Years.		
277	41	236	4472	301	73	1	53	24	28	25	31·8	97·5	16·8	15·0

SUB-AREA 4.

Population.			Area in Square Yards.	Density of Population per Acre.	Houses.		Causes of Death. Six Years, 1887-1892.				Average Death-Rates per 1,000 Persons Living (Six Years).			
Total.	Under 5 Years.	Over 5 Years.			Occupied	Un-occupied	All Causes.		Pulmonary and Tubercular Diseases.	Other Causes.	All Causes,		Pulmonary and Tubercular Diseases.	Other Causes
							Total.	Under 5 Years.			Total.	Under 5 Years.		
203	25	178	3303	298	52	4	48	21	22	26	39·4	140·0	18·0	21·3

TABLE XXI.—SALE OF FOOD AND DRUGS ACT.

	ARTICLES PURCHASED.								
	Milk.	Vinegar	Butter.	Ground Ginger.	Coffee.	Tea.	Jam.	Flour.	Mustard
Number of samples purchased ...	130	12	33	10	15	7	6	9	9
Result of Analysis {	Genuine ...	79	3	30	6	8	7	4	9
	Inferior ...	34	1	—	1	—	—	2	
	Adulterated	17	8	3	3	7			
Number of cases in which Legal proceedings were taken ...	17	7	2	3	2				
Result of Legal proceedings :—									
Cases Dismissed ...	—	—	—	—	1				
Cases Withdrawn ...	—	—	—	1	—				
Convictions ...	17	7	2	2	1				
FINES IMPOSED.									
MILK.—In 1 case £5 and costs; in 2 cases, £3 and costs; in 3 cases, £2 and costs; in 6 cases, £1 and costs; in 2 cases, £1 10s. and costs; in 1 case 15s. including costs; in 2 cases, 21s. including costs.									
VINEGAR.—In 6 cases, 10s. including costs; in 1 case, 20s. including costs									
BUTTER.—In 1 case, 10s. including costs; in 1 case, £1 and costs									
GROUND GINGER.—10s. each, including costs.									
COFFEE.—£1 and costs.									

In addition to the above, 15 samples of well-water were taken, and in 11 instances it was found to be contaminated, and unfit for drinking purposes. 30 specimens from domestic supplies were examined for the presence of lead, and in three of these 0·05 grains per gallon was found. In these latter instances, lead-lined house service cisterns were in use.

TABLE XXII.—HOUSES LET IN LODGINGS.

Number of houses registered during the year	40
Number of lettings in the above houses	80
Number of persons inhabiting the said houses	273
(a) Adult males	118
(b) Adult females	81
(c) Children	74
Total number of inspections made...	1137
Total number of notices served	42
(a) Overcrowding	13
(b) Whitewashing and cleansing...	17
(c) Thorough repairing	4
(d) Minor structural defects	9
(e) Occupation of cellar dwellings	2

TABLE XXIII.—CANAL BOATS.

Total number of Inspections of Canal Boats	949
Total number of Boats registered as belonging to Sheffield...	173
INFRINGEMENTS, ETC.				
Neglect to notify change of Masters	1
Absence of Certificate of Registration	5
Certificate not identifying Owner with boat	2
Boats not properly marked and numbered	7
Accumulation of bilge water	1
Cabins requiring repairing	4
Cabins requiring painting or cleaning	16
Faulty or deficient stoves in cabins	4
Number of Notices issued	28
Number of Notices complied with	24

The number of inspections carried out during the year are considerably above those of 1892, and would have been still larger but for the unfortunate coal strike, which practically caused traffic on the Canal to cease. The general condition of the boats was found to be on the whole satisfactory, and no cases of infectious disease were reported to have occurred on any of them.

TABLE XXIV.—DISINFECTING STATION.

SUMMARY FOR THE YEAR ENDING 31st DECEMBER, 1893.

Number of Articles.	NAME OF ARTICLE.	Number of Articles.	NAME OF ARTICLE.	REMARKS.
1266	Beds	1240	Counterpanes	These articles were brought in on 1227 separate occasions.
268	Bed Slips	584	Mattresses	
137	Bed Hangings	406	Carpets	
1437	Blankets	485	Articles of Women's Clothing	
994	Bolsters	427	Articles of Men's Clothing	In 1176 cases from private houses ;
425	Bolster Cases	470	„ Children's „	
2414	Pillows	169	Blinds	In 51 cases from public institutions.
1585	Pillow Cases	99	Hearth Rugs	
1078	Sheets	2166	Various Articles	

A very large increase has taken place in the work at the Disinfecting Station. In 1892 the number of articles disinfected was double that received in any previous year, and now again in 1893 I am glad to say that the number has made a still greater stride to 15,724 as against 9,876 articles dealt with in the previous year.

This progress is satisfactory, and cannot but exert a beneficial influence in preventing the dissemination of disease.

TABLE XXV.
WEST SHEFFIELD STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abney street	...	2	2	...	3	7	2	3	2	...
Angel street	1	...	1	1
Badger lane	...	1	...	1	...	2	1	...	1	...
Bailey lane...	...	1	...	3	3	7	3	...	3	1
Bailey street	1	1	9	11	5	3	2	1
Bala street	1	1	1	...
Balm green...	2	4	6	...	2	2	2
Barker's Pool	1	1	...	1
Boden lane	...	1	...	1	...	2	1	1
Broad lane	2	1	6	9	2	1	5	1
Brook hill	2	2	2	...
Broomhall street	1	1	4	6	1	...	4	1
Campo lane	...	1	6	7	2	2	3	...
Canning street	...	1	2	3	2	1
Carver street	1	1	1
Carver lane	...	1	1	2	2	6	4	...	2	...
Castle green	...	1	...	1	1	3	1	1	1	...
Cavendish street	1	1	1
Charlotte street	...	1	1	1	2	5	3	1	1	...
Chester lane	1	1	1
Chester street	1	1	1	3	10	16	6	1	6	3
Dee street	4	4	1	1	2	...
Devonshire lane	...	2	...	1	1	4	3	1
Devonshire street	4	4	1	...	1	2
Division street	2	3	5	2	1	...	2
East parade	2	2	1	...	1	...
Eldon street	...	1	4	5	1	1	1	2
Fitzwilliam street	1	3	3	7	1	...	3	3
Gell street	...	1	...	1	1	3	2	1
Glossop road	1	1	...	2	1	1
Hartshead	1	1	1
Hawley croft	2	2	...	5	9	18	8	4	4	2
High street	1	...	1	1
Holland street	1	1	1	...
Holly lane	...	1	1	1
Holly street	2	2	1	1
Leavysgreave road	2	2	...	1	1	...
Lee croft	1	1	...	2	...	1	1	...
Leopold street	1	1	1	...
New street	1	1	2	1	1
Newcastle street	3	4	7	1	1	3	2
North Church street	1	1	3	5	2	1	2	...
Orange street	2	2	1	...	1	...
Orchard street	1	...	1	1	...
Paradise square	...	1	1	2	1	...	1	...
Paradise street	2	...	2	2	...
Pitt street	...	1	...	1	6	8	3	1	2	2
Pitt lane	1	...	1	1
Portland lane	2	...	2	1	1
Portobello street	...	1	1	3	6	11	4	2	3	2
Queen street	1	1	1	...
Regent street	...	1	1	...	2	4	1	...	3	...
Rockingham lane	1	1	1
Rockingham street	4	1	...	8	11	24	6	2	11	5
Rodgers lane	1	1	1	...
Scargill croft	1	1	2	2	...
School croft	1	...	1	1	5	8	4	2	1	1
Silver street	...	1	1	...	1	3	...	2	1	...
Sims croft	1	1	...	2	9	13	8	2	3	...
Snig hill	...	1	...	1	...	2	...	1	1	...
St. James street	...	1	1	2	1	...	1	...

WEST SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
St. Thomas street	1	1	1	3	1	...	1	1
Townhead street	2	1	6	1	10	1	3	5	1
Tenter street	1	...	1	3	1	1	1	...
Trafalgar street	2	1	3	3	...
Trippett lane	2	1	2	3	4	12	2	4	3
Victoria street	1	2	3	1	2
Water lane	1	...	1	...	1
West bank lane	1	...	1	1	...
West bar green	2	3	5	2	2	...	1
Western bank	1	1	...	1
West hill lane	2	2	...	2
West street	1	2	8	11	1	...	6	4
<i>Persons admitted from this district have died in the following Institutions :</i>										
Children's Hospital
City Fever Hospital ...	3	3	...	2	1	...
Infirmary	1	1	1	3	2	1
Jessop Hospital	5	5	1	4
Public Hospital	1	16	17	...	1	15	1
Workhouse	10	26	29	65	1	3	25	36

NORTH SHEFFIELD STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Acorn street ...	1	6	4	11	3	...	6	2
Albert Terrace road	1	...	1	1
Allen street... ..	1	9	2	16	24	52	20	6	20	6
Alma street	1	1	1
Artisan street	2	2	1	1
Ball street	1	1	2	1	1
Bathfield place	1	1	1
Bedford street	2	1	...	3	3	...
Beet street	1	...	3	2	6	2	2	...	2
Bellefield lane ...	1	3	...	4	1	2	1	...
Bellefield street ...	1	1	...	3	5	10	2	2	4	2
Bethel street ...	1	...	1	1	4	7	3	1	2	1
Blueboy street	1	...	1	3	5	2	1	2	...
Bolsover street	1	...	1	...	2	1	1
Bonville street	1	1	1	...
Bower street ...	2	1	2	5	4	1
Bowling Green street ...	1	2	...	3	1	...	1	1
Bramwell street	2	...	2	4	8	5	2	...	1
Brightmore street...	...	3	...	6	4	13	4	4	3	2
Bridge street ...	1	2	3	1	1	...	1
Broad lane ...	2	4	1	5	5	17	8	3	5	1
Brocco street ...	1	...	1	3	1	6	3	1	1	1
Bromley street ...	2	2	2	...	2	8	3	2	3	...
Brookhill	1	...	2	2	5	2	2	...	1
Brook lane	1	...	1	1
Brook street	1	1	2	4	1	...	3	...
Brownell street ...	2	3	...	4	2	11	4	5	1	1
Burnt Tree lane	3	2	5	1	1	3	...
Copper street	1	1	3	4	9	5	1	3	...
Corn hill	2	1	3	2	...	1	...
Cornish street	1	1	2	2	6	1	...	3	2
Corporation street ...	1	2	3	2	1
Cotton Mill walk ...	1	1	3	5	2	...	3	...

NORTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Craven street	1	...	2	3	3	...
Cross Bedford street ...	1	6	7	2	1	3	1
Cross Hunt street...	1	1	2	1	1
Cross Love street ...	1	1	...	2	1	1
Cross Smithfield ...	2	3	2	2	2	11	2	6	1	2
Cupolo	1	1	1
Clyde place...	...	1	1	1
Daisy bank...	...	1	3	4	2	...	1	1
Daisy walk	2	...	2	2	6	3	3
Darley street	1	...	1	1
Dixon street	1	2	3	...	2	...	1
Doncaster street ...	1	3	1	...	4	9	5	...	3	1
Dover street	1	...	3	2	6	2	1	2	1
Dunfields ...	1	1	...	1	4	7	2	2	2	1
Dun street	1	...	3	5	9	2	1	2	4
Ebenezer street ...	1	2	1	4	1	...	3	...
Edward street ...	6	3	2	8	7	26	7	10	8	1
Ellis street...	2	1	7	10	4	2	3	1
Ellison street ...	1	1	1	3	2	1
Fawcett street ...	1	3	2	3	10	19	8	3	3	5
Finlay street	1	1	...	1	3	2	...	1	...
Fountain square	1	2	...	3	1	...	2	...
Furnace hill ...	2	...	3	6	3	14	2	3	7	2
Garden street ...	2	1	1	4	10	18	6	4	5	3
Gibraltar street	1	...	3	5	9	3	...	6	...
Green lane	2	...	4	6	...	2	3	1
Hammond street ..	3	...	1	2	7	13	6	3	2	2
Henry street	1	2	...	2	5	2	...	3	...
Hicks lane ...	2	1	3	2	1
Hinchcliffe walk	1	1	1
Hollis croft ...	1	1	...	3	7	12	5	3	4	...
Hope street	2	2	...	1	...	1
Hoyle street ...	1	3	6	4	11	25	11	2	7	5
Hunt street ...	2	2	3	7	1	1	4	1
Infirmiry road	1	1	1	6	9	3	...	2	4
Jericho street ...	1	5	1	4	8	19	6	6	6	1
Jobson place	1	1	2	1	1
Jobson road ...	1	1	2	2
Kelham street	2	2	2
Kenyon alley	1	...	1	2	2	...
Kenyon street	1	1	2	1	1
Lambert street ...	2	3	1	3	7	16	8	2	2	4
Latimer street	1	1	2	2
Leicester street	2	...	3	7	12	7	1	1	3
Love lane	1	...	1	1
Love street	1	...	1	1	...
Malinda street	1	1	1	...
Manell terrace ...	2	1	3	1	2
Matthew street ...	3	1	...	3	5	12	5	3	...	4
Meadow street ...	2	...	1	3	6	12	2	1	6	3
Mill lane	1	1	...	2	1	...	1	...
Millsands	2	2	4	1	3
Mitchell street	1	...	4	4	9	2	2	3	2
Montgomery terrace road...	2	1	1	2	2	8	1	1	2	4
Moorfields	1	1	2	...	1	...	1
Morpeth street ...	3	2	...	4	5	14	3	6	4	1
Morton street	1	...	1	...	2	...	1	1	...
Mushroom lane ...	2	1	1	1	2	7	1	1	5	...
Netherthorpe street	2	4	6	2	2	2	...
Newhall street	1	1	1	...
North street	1	1	1	...
Pea croft ...	3	3	2	10	12	30	5	9	11	...
Penistone road	5	5	2	...	3	...
Portmahon...	1	...	1	...	1
Powell street ...	1	2	1	2	5	11	3	3	3	2
Queen's row	4	...	4	1	...	2	1
Radford lane	1	2	3	2	1

NORTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Radford place	1	1	2	1	1
Radford street	1	2	2	5	3	2
Red hill	2	2	1	1
Red hill place	1	1	1	...
Red place square ...	1	1	1	...
Reliance place	1	2	3	1	2
Robertshaw street...	1	2	3	1	1	...	1
Roscoe road	1	1	1
Roscoe street	1	...	1	...	1
Russell street	3	1	4	2	10	4	3	1	2
Sambourne square...	4	1	...	1	...	6	2	4
Sarah Street ...	2	1	2	...	5	10	3	1	5	1
Scotland street ...	1	2	...	7	10	20	9	5	4	2
Shalesmoor ...	1	1	...	1	2	5	2	2	1	...
Shepherd street ...	1	5	1	6	6	19	6	6	6	1
Siddall street	1	1	1	...
Smithfield ...	1	5	6	12	5	3	2	2
Solly street...	1	2	1	10	11	25	10	3	9	3
Spring street	2	8	10	4	3	2	1
South Parade	1	1	1	...
Steelhouse lane ...	2	2	2	6	2	2	2	...
St. Philip's road ...	2	4	...	9	7	22	7	4	5	6
St. Stephen's road...	1	1	...	4	4	10	6	3	1	...
Sudbury street	1	1	2	4	1	...	1	2
Summer street	3	1	4	8	2	...	2	4
Sutton street	1	1	4	6	1	...	2	3
Tenter street	1	1	1	...
Trinity street	1	...	1	5	7	1	2	3	1
Upperthorpe road	1	1	1	...
Ward street	1	...	3	4	2	...	2	...
Water street	1	...	1	1
Watery lane	1	1	2	1	1
Watery street	2	1	2	1	6	1	1	2	2
Wellmeadow street	1	3	1	5	2	1	2	...
Westbar ...	1	1	...	1
Westbar green ...	1	...	2	...	1	4	...	1	2	1
Weston street	3	3	6	2	...	2	2
Weston terrace	2	2	2
Western bank ...	1	1	2	2	...
Westonville terrace	1	1	1	...
Wheeldon lane ...	1	1	2	...	1	...	1
Wheeldon street	1	1	1	1	4	1	2	1	...
White croft	2	...	2	4	...	1	3	...
Winter street	1	2	3	...	1	...	2

Persons admitted from this district have died in the following Institutions :

Children's Hospital	1	...	1	...	1
City Fever Hospital ...	7	1	8	...	4	4	...
Infirmary	6	6	42	54	1	5	38	10
Jessop Hospital	2	2	1	...	1	...
Public Hospital	1	1	12	14	14	...
Workhouse...	1	6	22	29	50	108	8	3	61	36

SOUTH SHEFFIELD STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Alderson road	1	...	1	1	...
Allsop lane	1	1	2	...	1	1	...
Arundel lane	1	1	5	7	2	...	1	4
Arundel street ...	1	2	2	5	9	19	5	2	8	4

SOUTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Baker's hill	1	1	2	1	1
Baron street	1	2	...	3	1	...	1	1
Bramall lane	...	2	7	9	4	1	...	4
Brittain street	1	2	3	1	1	...	1
Brown lane...	2	3	5	1	...	4	...
Brown street	1	1	11	13	5	5	...	3
Burgess street	1	1	2	...	1	1	...
Cambridge street	1	...	1	1
Charles lane	3	3	6	2	2	1	1
Charles street	...	4	1	3	5	13	4	1	3	5
Change alley	1	1	1	...
Charlotte road	1	2	4	7	3	2	...	2
Cherry street	1	4	5	1	...	1	3
Clough road	1	1	...	1	4	7	1	1	2	3
Commercial street...	1	1	1	...
Countess road	1	1	1	...
Cross Turner street	1	1	...	1
Duke lane	1	1	2	1	1
Earl lane	...	1	1	...	1	4	...	1	2	1
Earl street	...	2	...	2	3	7	2	1	3	1
Edmund road	3	...	8	11	2	1	6	2
Eyre lane	...	1	4	11	4	21	5	3	9	4
Eyre street...	...	1	1	4	2	9	1	1	4	3
Fargate	1	...	1	1
Fornham street	...	1	2	...	3	6	6
Froggatt lane	1	1	1
Furnival street	...	3	5	8	5	2	...	1
Furnival lane	1	1	2	4	2	1	1	...
Hallam lane	1	1	1
Harmer gardens	1	1	1	...
Harmer lane	2	2	4	1	...	2	1
Hereford street	2	2	1	...	1	...
High street...	1	1	2	2	...
Howard lane	1	1	1
Howard street	...	1	...	1	1	3	1	...	2	...
Jessop lane	...	1	3	5	3	...	2	...
Jessop street	...	1	...	5	5	11	5	2	2	2
John street...	...	2	2	4	3	...	1	...
Lancing road	...	1	2	1	4	8	1	...	5	2
Leadmill road	...	1	...	1	5	8	4	2	2	...
Lenton street	1	1	1	...
Manton street	...	1	1	2	...	1	...	1
Margaret street	...	1	...	1	2	4	2	1	1	...
Mary street	...	2	1	3	2	...	1	...
Matilda street	3	1	12	16	3	3	5	5
Matilda lane	2	2	2
Newton lane	...	1	...	2	3	6	1	2	1	2
Norfolk lane	1	...	1	1	...
Norfolk street	...	1	1	2	1	...	1	...
Paternoster row	1	1	1	...
Pond hill	...	1	1	1	3	6	5	...	1	...
Pond street...	...	2	1	8	14	26	11	4	8	3
Porter street	...	1	5	1	6	14	4	1	8	1
River lane	1	1	1
Sheaf street	2	2	1	...	1	...
Sheaf gardens	...	1	1	2	1	1
Shelf street	1	...	1	1
Shoreham street	...	1	2	3	4	12	6	2	7	7
Shude hill	1	2	3	3	...
Silver mill	...	1	...	1	1	3	...	1	2	...
St. Mary's lane	1	1	1
St. Mary's road	...	1	2	2	6	11	3	1	6	1
Suffolk lane	1	...	1	1
Suffolk road	1	2	3	1	...	2	...
Surrey lane	...	1	1	1
Surrey street	1	1	1	...
Sycamore street	...	1	...	1	...	2	1	1

SHEFFIELD SOUTH STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Sydney street	1	2	3	6	3	...	1	2
Sylvester lane	1	1	2	2
Sylvester street	1	...	1	2	2	...
Tudor place	1	...	1	1
Turner street	2	2	...	1	1	...
Union lane	1	1	2	1	...	1	...
Union street	1	1	1	...
Waingate	1	1	1
<i>Persons admitted from this district have died in the following Institutions :</i>										
City Fever Hospital	2	2	2	...
Infirmery	1	1	2	4	3	1
Jessop Hospital	3	3	2	...	1	...
Lodge Moor Hospital	1	1	1	...
Public Hospital	11	11	...	1	9	1
Workhouse	1	1	6	5	17	30	2	3	12	13

SHEFFIELD PARK STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Anson street	2	2	1	1
Aston street	1	2	5	8	3	3	1	1
Bard street... ..	2	2	...	3	12	19	8	4	6	1
Bernard lane	1	3	4	1	2	1	...
Bernard street	8	2	1	7	15	33	9	12	9	3
Bevis street	1	1	1	...
Bigod street	1	...	1	...	1
Blagden street	1	1	1
Blast lane	1	2	3	1	...	1	1
Broad street	2	2	1	1	8	14	5	3	2	4
Broad street lane	2	...	2	2
Bungay street	3	3	3
Cadman street	1	2	3	3	...
Canal street	1	1	1	3	1	1	...	1
Chancel street	1	3	6	10	2	2	4	2
Claywood lane	2	1	2	5	1	1	2	1
Colliers' row	1	1	1	2	3	8	2	5	1	...
Cricket Inn road	1	...	2	3	6	12	3	2	3	4
Crown alley	2	...	1	4	7	3	...	3	1
Dacre street	1	1	...	1
Deep pits	1	3	1	5	2	...	2	1
Derwent street	1	1	1	3	3	...
Duchess road	1	1	2	2
Duke street	4	3	...	11	21	39	15	5	14	5
Duke street lane	2	3	4	9	5	1	1	2
East street...	1	1	2	1	...	1	...
Effingham road	1	1	1
Effingham lane	1	...	1	1	...
Effingham street	1	1	1
Elm Tree hill	1	1	1	...
Fitzwalter road	1	...	1	1	...
Furnival road	1	1	...	1
Gilbert street	1	...	1	1
Granville lane	2	2	1	1
Granville street	6	2	3	10	21	7	4	6	4
Grafton street	1	1	2	2
Hampton street	3	4	7	3	1	2	1
Hague lane...	3	3	6	1	1	3	1
High Street lane	1	1	2	1	1
Intake road	1	2	...	1	6	10	4	2	1	3

SHEFFIELD PARK STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Lister row	1	...	1	...	1	3	1	1	1	...
Long Henry street ...	5	2	1	4	4	16	3	9	2	2
Lord street...	1	...	5	14	20	7	1	10	2
Low street	1	1	2	2
Maltravers road ...	2	2	4	8	2	1	2	3
Maltravers street	1	...	1	1
Manor lane...	2	6	8	4	1	1	2
Myrtle road	1	2	1	4	2	1	1	...
Navigation hill ...	3	3	3	9	4	2	1	2
New street lane	1	1	1
Norfolk road	7	7	1	6
Norwich street	1	2	5	3	11	3	4	4	...
Old street	1	1	...	2	4	2	1	...	1
Park Grange road	1	1	1	...
Park hill lane	1	2	6	9	5	2	...	2
Reuben place	1	1	2	1	...	1	...
Reuben street	1	1	1	3	...	1	1	1
Rhodes street	2	1	1	4	4	12	3	3	4	2
Rough bank	1	1	2	1	1
School lane...	1	2	2	5	2	2	1	...
School street	3	3	1	1	...	1
Shrewsbury road	1	1	1
South street	2	1	1	9	22	35	9	5	11	10
Stafford road	1	1	2	2	...
Stafford street	1	2	9	12	4	...	6	2
Staniforth lane	1	1	1
Stepney street	2	3	...	5	10	20	12	4	2	2
St. John's road	1	2	1	4	1	1	...	2
St. John's walk	1	1	1	...
Sussex street	3	7	10	5	2	2	1
Talbot gardens	2	2	1	...	1	...
Talbot place	1	1	...	2	1	1
Talbot road... ..	3	1	1	5	2	3
Talbot street	1	...	1	3	5	2	1	1	1
Turner's hill	1	...	1	1	...
Victoria station	3	3	3	...
Wharf street	1	2	3	...	2	...	1
Weigh lane...	2	1	...	1	4	2	1	1	...
<i>Persons admitted from this district have died in the following Institutions:</i>										
Infirmery	1	...	4	5	5	...
Public Hospital	1	8	9	1	1	6	1
Workhouse	1	3	7	6	17	9	8

BRIGHTSIDE STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abbeyfield road	1	1	1	...
Adsetts street	5	5	1	2	...	2
Adsetts place	1	...	1	1	...
Alfred road	2	...	5	20	27	13	5	5	4
Andover street	1	5	6	...	1	2	3
Andrew lane	1	...	1	1
Andrew street	1	...	2	4	7	2	1	2	2
Apple street	4	1	6	21	32	21	5	5	1
Attercliffe road	3	...	6	5	14	5	...	3	6
Bagley road	1	1	...	2	2	...
Ball street	1	1	1	3	...	1	2	...
Bardwell road	1	1	1

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Barnsley road	1	1	2	2	...
Bingley street	1	...	1	2	4	2	...	1	1
Birley street ...	2	2	...	3	5	12	6	4	1	1
Blackmore street	2	5	7	4	...	2	1
Bland street	3	2	2	7	...	2	4	1
Blyde road	1	1	1	...
Botham street ...	1	1	1	7	4	14	5	3	2	4
Bolsover hill	1	1	1
Boyland place	1	...	1	1	3	1	1	1	...
Boyland street	3	1	4	...	1	2	1
Bramber place	2	...	2	2
Bramber street	2	4	8	14	2	5	5	2
Brandon street	1	...	1	1
Bressingham road...	1	3	3	7	3	2	2	...
Brightside lane ...	2	1	...	4	14	21	9	4	5	3
Brotherton street	1	1	1
Brunswick road	1	...	9	9	19	8	3	3	5
Buckenham road	1	1	3	5	...	1	3	1
Buckenham street...	1	1	...	2	1	1
Burngreave road	1	6	7	6	1
Burngreave bank ...	1	1	...	1
Burton road	1	...	1	...	2	2
Burslem street	1	...	1	1	3	2	1
Bury street...	2	2	1	...	1	...
Canada street	3	3	1	1	1	...
Carlisle road	1	4	2	7	2	1	4	...
Carlisle street ...	4	1	...	7	9	21	11	1	8	1
Carlisle street east ...	3	2	2	4	16	27	10	7	5	5
Carwood lane	1	2	2	5	2	1	2	...
Carwood road ...	1	1	...	1	6	9	5	1	2	1
Chambers's lane	1	1	1
Chatham street ...	1	...	1	2	...	1	1	...
Catherine road	2	...	2	...	1	...	1
Catherine street	2	3	5	1	1	2	1
Charlton street	1	4	5	4	...	1	...
Clay's yard...	1	1	1
Clevedon street	1	...	1	1
Clun road	1	...	8	9	5	...	2	2
Clun street...	...	1	2	3	5	11	5	...	5	1
Coningsby road	1	3	4	2	...	2	...
Cooke street	1	...	1	...	2	2
Corby street ...	2	1	3	7	17	30	12	4	10	4
Crabtree lane	1	1	1
Cromer street	1	1	2	2	...
Cyclops street	1	...	1	1
Dane street	2	2	1	1
Danville mount	1	2	3	1	1	1	...
Danville street ...	1	...	1	...	13	15	6	4	4	1
Dearne street	1	1	1
Denholme street	1	2	3	2	...	1	...
Devon road	1	1	2	1	...	1	...
Ditchingham road...	...	1	...	1	...	2	1	...	1	...
Ditchingham street	2	1	1	4	...	1	3	...
Don road	2	5	7	3	3	1	...
Dorking street	1	1	1	...
Douglas road ...	1	...	1	...	2	4	2	1	1	...
Douglas terrace ...	1	1	...	1	1	4	2	...	1	1
Draper street	1	...	1	1
Dutch street	3	3	2	...	1	...
Earldom road ...	1	1	1	3	3
Earldom street	1	1	1
Earsham street ...	1	...	1	4	6	12	10	...	2	...
Eben square	1	...	1	2	2	...
Eben street...	...	1	...	1	1	3	2	...	1	...
Edgar street	4	4	1	1	1	1
Ellesmere road ...	1	1	...	3	5	10	2	...	2	6

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Farfield road	1	4	5	3	1	...	1
Fell street	1	3	4	2	1	...	1
Firfield street	1	1	1
Firshill road	1	...	3	4	...	1	1	2
Firth Park road	1	1	1
Firth Park avenue...	1	1	...	1
Fitzalan street	3	3	6	11	23	10	4	7	2
Fleet street...	2	2	1	1
Forncett street	3	3	8	14	4	1	9	...
Forwarth road	1	1	...	1
Fowler street	1	1	3	7	12	4	1	5	2
Fowler terrace	1	1	1	...
Fox street ...	2	...	1	2	3	8	3	1	3	1
Garter street	1	2	3	1	...	2	...
Gower street ...	1	2	4	7	2	...	4	1
Greystock street	1	...	7	16	24	13	2	4	5
Grimesthorpe road	4	1	8	19	32	12	4	5	11
Grove street ...	1	1	2	2	5	11	5	2	3	1
Haddon street	1	1	...	1
Hallcar street	2	1	1	4	1	...	2	1
Handley street ...	1	1	1	3	1	1	...	1
Harleston street	1	2	3	1	1	1	...
Harvest lane ...	3	...	2	6	15	26	8	4	9	5
Hawke street	1	1	...	1
Haywood road	1	...	1	2	4	1	2	1	...
Heath street ...	1	1	1	3	2	1
Helen terrace	1	1	1
Hicks street	1	1	1	3	1	...	1	1
Hillfoot road	1	...	1	1	...
Hooton street	1	1	1
Houghton street ...	1	...	1	2	3	7	...	4	3	...
Hoyland road	1	...	3	4	3	...	1	...
Hunsley street	1	2	1	4	1	...	2	1
Jamaica street	2	2	2
Jenkin road	2	1	1	4	1	...	2	1
Johnson street	1	2	7	10	2	1	5	2
Joiner street	1	...	1	1	3	1	...	2	...
Kenninghall street...	...	1	...	2	1	4	1	1	1	1
Kilton lane	1	1	2	4	1	1	2	...
Kilton street ...	1	...	1	6	3	11	6	1	3	1
Kingston street	1	1	1	...
Kirk street ...	1	2	2	5	2	2	1	...
Knowsley place	1	1	...	1
Lancaster street	1	1	1	...
Lake street...	...	1	...	1	...	2	1	...	1	...
Lincoln place	1	1	1
Lopham street ...	1	...	1	1	4	7	4	...	3	...
Lovell street ...	2	1	...	1	6	10	4	2	4	...
Lucas street	1	1	2	2
Lyons road...	1	2	2	5	1	1	1	2
Macro street ...	2	2	4	2	1	1	...
Malton street	1	1	1	...	3	1	1	1	...
Manners street ...	1	1	...	1	5	8	4	3	1	...
Marcus street ...	1	4	7	12	4	3	4	1
Marcus walk	1	1	...	1
Margate street	1	1	1	...
Marshall street ...	1	2	...	1	4	8	3	2	2	1
Meadow Hall road	1	3	4	1	1	1	1
Melrose road	1	1	1
Malton place	1	...	1	1	3	1	1	1	...
Melton street	1	2	3	1	2
Montford road	1	1	1
Montford street	1	...	2	2	5	1	1	...	3
Moses street ...	1	2	3	3	...
Moss street	1	2	3	1	...	1	1
Mount road	2	1	1	3	7	5	...	2	...

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Mowbray street ...	2	1	...	1	5	9	5	2	1	1
Neepsend lane ...	1	1	...	5	8	15	4	4	5	2
Neville street	1	1	...	4	6	1	1	2	2
Newhall road	1	2	7	10	3	2	3	2
Normanton street	1	4	5	2	...	3	...
Nottingham street ...	1	...	2	2	6	11	1	...	5	5
Nursery lane	2	...	2	4	...	1	2	1
Nursery street ...	1	...	1	2	3	7	1	...	5	1
Osborne street ...	1	4	5	10	4	3	2	1
Owler lane	1	2	3	1	1	1	...
Page Hall road	1	1	1
Paget street	3	3	2	...	1	...
Pagoda street	1	1	1
Parkwood road	4	4	1	...	1	2
Percy street	4	1	5	...	4	...	1
Petre street ...	2	...	2	7	10	21	4	4	9	4
Pickering road ...	1	1	2	2	...
Pitsmoor	2	2	1	1
Pitsmoor road	3	6	9	1	1	2	5
Platt street... ..	1	...	1	2	...	1	1	...
Princess street	3	...	4	15	22	9	2	9	2
Pyebank ...	1	2	2	2	8	15	3	1	8	3
Railway street	1	...	2	3	1	...	2	...
Reginald street	1	...	1	5	7	2	...	1	4
Rising street	2	2	1	1
Rock street...	1	2	5	8	2	...	2	4
Roe lane	3	3	3
Rose hill	1	...	1	...	1
Rowland street	1	1	2	2
Royds Mill street	1	1	1	...
Rushby street	1	...	1	4	6	2	1	2	1
Ruthin street	1	1	1
Rutland road ...	1	...	1	1	2	5	2	1	2	...
Rutland terrace ...	1	3	4	...	2	2	...
Sales street...	3	3	1	1	1	...
Sanderson street	1	...	1	1
Savile street	1	8	9	...	1	5	3
Savile street east ...	1	1	1	5	4	12	2	2	3	5
Sedan street	1	1	1	1	4	1	1	2	...
Skinnerthorpe road ...	1	...	1	1	1	4	...	2	1	1
Somerset road	1	1	1	...
Somerset street	3	3	1	2
Sorby street	5	7	12	6	3	1	2
Spital hill	1	4	5	1	1	...	3
Spital lane	2	2	...	2
Spital street	2	1	3	4	10	2	3	4	1
Stancer street	1	...	1	1	3	2	...	1	...
Stanley street	1	2	4	7	2	...	4	1
Stockton street	3	3	1	1	1	...
Stone street	1	1	2	...	2
Storm street	1	1	1	...
Sutherland road	1	1	1	2	5	2	...	2	1
Sutherland street	2	2	4	1	1	2	...
Swinton street	1	1	...	2	2
Thorndon road	1	1	1	...
Tipton street	5	5	2	3
Tower hill	2	...	2	...	2
Twelve o'clock street	2	2	1	1
Tyler street	2	2	4	2	1	1	...
Upwell lane	1	...	1	1
Upwell street	1	3	8	12	2	1	5	4
Vale road	1	3	4	...	1	2	1
Verdon street ...	2	2	1	2	6	13	4	2	4	3
Wallace road	1	...	1	6	8	3	2	1	2
Warren street	2	2	2	...
Walker street ...	1	1	2	...	1	1	...

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Weedon street	1	...	1	1	...
Weston square	2	2	2
Wicker	1	4	5	...	1	4	...
Wicker lane	1	2	3	1	1	1	...
Willey street	1	1	2	2
Wilson street	2	1	...	3	6	3	1	2	...
Wincobank lane	1	...	1	1
Windmill street	1	1	1	...	4	7	2	1	4	...
Woodbine road	1	2	3	2	1
Woodside lane	3	1	1	15	6	26	9	5	8	4
<i>Persons admitted from this district have died in the following Institutions :</i>										
Children's Hospital	2	2	2	...
City Fever Hospital	13	1	2	16	1	2	13	...
Infirmary	2	4	37	43	...	3	36	4
Jessop Hospital	8	8	4	...	4	...
Public Hospital	1	4	5	1	...	4	...
Workhouse	3	2	15	46	62	128	10	4	56	58

ATTERCLIFFE STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Amberley street	6	1	7	2	1	2	2
Amberley place	1	1	1
Amberley road	5	5	2	...	3	...
Ardmore street	1	2	4	7	3	...	2	2
Armley road	1	...	1	1	...
Attercliffe common	1	3	...	8	17	29	10	2	10	7
Attercliffe road	1	1	1	9	16	28	10	1	14	3
Baldwin street	1	...	3	2	6	1	...	2	3
Baltic road	1	1	2	1	1
Baker street	2	1	1	4	1	...	2	1
Basford street	1	...	1	1
Bawtry road	1	...	5	6	4	...	2	...
Bee street	3	3	1	...	1	1
Belmore road	1	1	3	5	2	1	2	...
Berkeley road	1	1	1	3	...	1	1	1
Berkeley street	1	1	6	8	2	1	4	1
Bessemer place	2	2	4	2	1	...	1
Bessemer road	1	1	1	...
Beverley street	1	...	1	1
Birch road	4	5	9	3	...	3	3
Blucher street	1	1	5	7	4	2	1	...
Bodmin street	1	1	1
Bold street	1	1	...	1	3	6	3	1	2	...
Bootle street	1	1	...	1
Bowen street	1	...	1	1
Bradford street	1	...	1	6	8	4	2	1	1
Bright street	3	2	4	3	16	28	11	6	7	4
Britannia road	2	2	5	9	2	2	5	...
Broad oaks	1	4	5	1	1	1	2
Brompton road	5	...	2	5	12	7	1	2	2
Broughton lane	1	...	2	...	3	1	1	1	...
Burgess road	1	1	2	1	1
Canal side	1	1	...	1	2	5	2	1	1	1
Canal street	2	2	2
Candow street	1	3	4	1	...	2	1
Carbrook street	1	1	5	14	21	7	4	4	6

ATTERCLIFFE STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Catley road...	...	2	2	2
Cave street...	1	1	2	1	1
Chapel street	2	3	5	2	...	1	2
Chelmsford street	2	7	9	2	1	5	1
Chippingham street	3	2	5	1	1	1	2
Clay street	...	1	7	8	4	2	1	1
Cleveland square	...	1	1	...	1
Clifton street	...	1	1	...	5	7	3	1	1	2
Clipstone road	1	...	1	1
Coleridge road	...	1	...	3	9	13	5	3	3	2
Cottingham street	...	1	1	2	5	9	5	2	2	...
Coventry road	...	1	1	2	2
Craven road	...	1	...	2	2	5	2	...	2	1
Darnall road	...	2	1	2	3	8	2	...	4	2
Dolphin street	1	1	3	5	3	1	1	...
Dunlop street	...	1	1	6	12	21	5	2	9	5
Dunkirk	1	...	2	3	2	1
Eadon road	4	4	2	2
Ebury street	1	1	1
Edward road	...	1	3	4	3	1
Effingham road	1	1	1
Engine row...	1	...	1	1	...
Faraday road	1	1	2	1	...	1	...
Fearnehough street	...	2	...	1	2	5	1	3	1	...
Ferguson street	1	1	1	3	2	1
Florence street	...	1	2	4	2	1	1	...
Freeborough street	...	1	...	1	...	2	...	1	...	1
Frederick street	...	1	...	1	1	3	2	1
Gerald street	1	...	1	1	...
Greenland road	1	2	3	6	1	1	2	2
Heppenstall lane	3	...	3	...	1	...	2
Hull street	1	...	1	...	1
Huntsman's row	2	2	1	...	1	...
Industry road	1	3	5	9	2	1	4	2
James street	...	1	...	1	...	2	1	1
Janson street	...	1	1	2	3	8	3	2	2	1
Kimberley street	1	1	1	...
Leeds road	...	1	4	5	3	...	1	1
Leigh street	...	2	...	3	4	9	5	...	3	1
Lister street	1	...	1	1
Liverpool street	...	2	3	1	5	11	4	4	1	2
Main road	2	5	4	11	5	...	4	2
Makin road	...	1	...	2	3	6	...	2	4	...
Maltby street	1	1	1	3	...	1	1	1
March street	...	1	...	3	5	9	4	1	3	1
Meadow Hall road	1	1	1	...
Middleton street	1	1	1
Milford street	...	1	...	3	2	6	2	...	3	1
Mountain street	...	1	...	1	2	4	3	...	1	...
Newark street	...	2	...	1	6	9	7	1	1	...
Newhall road	1	1	4	6	1	2	3	...
Nightingale street	1	3	4	2	1	1	...
Nunnery Colliery	2	2	2	...
Oakes green	3	6	9	5	4
Old Hall road	2	1	3	1	...	1	1
Owler greave road	1	...	2	3	...	1	2	...
Palmer road	1	...	1	1
Pickering street	1	2	3	2	...	1	...
Pinfold lane	...	1	...	5	5	11	6	1	2	2
Poole road	...	1	...	2	...	3	2	1
Ripon street	4	6	10	6	...	2	2
River street	1	1	2	1	...	1	...
Rotherham street	...	1	...	3	2	6	4	...	2	...
Roundell street	2	2	1	...	1	...
Scrofton place	1	1	1
Selbourne street	...	1	...	2	1	5	3	1	1	...
Shirland lane	3	...	2	5	...	2	1	2

ATTERCLIFFE STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Short street	1	1	2	1	5	2	1	2	...
Shortridge street	1	...	1	1
Sleaford street	1	1	2	1	1
Slitting Mill lane	2	...	2	2
Southern street	1	1	1
Spring place	1	2	1	2	6	2	2	2	..
Staniforth road	3	3	1	...	1	1
Station road	3	2	5	3	2
Steadfast street	2	2	2	...
Stevenson road	1	...	1	1
Stoke street	1	2	3	1	...	1	1
Stovin road	1	1	2	4	...	1	3	...
St. Charles road	4	2	6	1	...	3	2
St. Charles street	1	...	1	3	5	1	1	2	1
Surbiton street	1	1	...	2	3	7	3	...	3	1
Surrey road	1	1	1	...	3	2	1
Swallow row	1	...	1	2	2
Swallow street	1	2	3	2	...	1	...
Swan street	1	...	2	4	7	3	3	1	...
Tinsley Park road	1	1	1
Trent street... ..	1	1	1	..	1	4	2	...	2	...
Turin street	1	...	1	1
Vicarage road	1	1	1	...
Walkland road	1	1	2	1	...	1	...
Warden street	1	2	3	2	1
Washford road	1	1	...	1
Weedon street	1	4	5	2	1	...	2
Wentworth road	1	1	2	4	...	2	2	...
Whitby road	1	1	2	...	1	1	...
Whitworth lane	1	...	1	2	4	2	...	2	...
Woodburn road	1	2	3	6	1	2	1	2
Worksop road	4	1	5	4	14	2	6	3	3
Worthing road	1	2	3	6	2	...	3	1
Yarmouth street	2	1	...	3	1	2
York road	1	...	1	...	2	...	2
Zion lane	1	1	3	5	1	1	3	...
Zion place	1	1	1
<i>Persons admitted from this district have died in the following Institutions :</i>										
Children's Hospital	1	...	1	...	1
City Fever Hospital	3	3	...	1	2	...
Infirmary	1	2	11	14	...	1	12	1
Lodge Moor Hospital	2	2	2	...
Public Hospital	1	...	2	3	3	...
Workhouse... ..	1	...	3	11	14	29	2	..	15	12

NETHER HALLAM STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Acton place	1	...	1	1	...
Addy street	2	...	2	1	8	13	4	1	5	3
Adelphi street	2	1	...	3	...	2	1	...
Albert Terrace road	1	...	1	1	...
Albine terrace	1	1	2	1	1
Albion street	1	1	2	1	...	1	...
Amy street...	1	1	1
Arthur street	1	...	2	3	6	5	1

NETHER HALLAM STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Ash street	1	1	...	2	...	2
Ashberry road	1	...	1	2	4	2	...	2	...
Balaclava road	3	3	1	...	2	...
Bamforth street	2	2	1	...	1	...
Bannon street	1	1	...	1
Barber place	2	...	1	...	3	2	...	1	...
Barber road	1	3	4	1	3
Barracks	2	3	6	11	5	2	4	...
Barrack lane	1	1	...	2	4	3	...	1	...
Bates street	1	1	2	1	...	1	...
Beehive road	1	1	1
Bell Hagg road	1	1	3	5	3	1	1	...
Bertha street	1	1	2	1	1
Birkendale	1	1	2	1	1
Blackburn street	2	1	3	...	1	1	1
Blake Grove road	1	1	1
Blake house terrace	1	1	1
Blake street	1	...	1	1	3	1	...	1	1
Bloor street	2	2	4	2	...	2	...
Bolehill lane	1	1	...	3	5	...	2	3	...
Bolehill road	1	1	...	1	3	1	...	1	1
Bond street	2	1	3	1	...	1	1
Bower road...	1	1	5	7	1	1	2	3
Bradley place	1	...	1	1
Bradley street	1	1	1
Brookhill	1	...	1	1	...
Bromley street	1	...	1	...	3	5	1	1	2	1
Burnaby street	1	6	7	3	1	1	2
Burgoyne road	2	...	1	4	9	16	5	2	6	3
Burlington street	1	...	1	6	8	3	1	4	...
Burns road...	3	3	6	1	1	4	...
Burton street	2	2	2	3	4	13	4	3	5	1
Camm street	2	2	4	1	1	...	2
Capel street	2	...	2	4	8	2	...	2	4
Carnarvon street	5	...	1	6	12	6	2	3	1
Carr road	1	1	1	...
Carson road	1	1	2	4	3	1
Channing street	1	1	...	2	7	11	5	2	4	...
Cleveland place	1	...	1	2	1	...	1	...
Cleveland street	1	2	3	2	1
Cobden view	1	1	2	4	1	...	2	1
Common side	1	1	2	...	1	...	1
Compton street	1	1	1
Creswick street	2	1	...	2	4	9	4	2	2	1
Cromwell street	1	2	3	6	3	...	1	2
Crookes	1	2	3	20	26	7	2	11	6
Crookesmoor road... ..	1	1	1	5	11	19	4	...	5	10
Crookes road	1	...	1	1	...
Cross Addy street	1	1	1	1	4	1	...	2	1
Cross Bedford street	1	1	2	2
Cross Gilpin street	2	1	3	2	1
Cross lane	1	1	1	...
Cundy street	4	...	1	2	5	12	4	3	3	2
Cuthbert Bank road	1	1	1
Cuthbert road	1	...	1	...	1
Cyril street...	1	...	1	1	...
Daniel hill street	2	2	4	1	...	1	2
Daniel hill	1	...	1	1
Duncombe street	2	8	10	6	...	3	1
Edith street	1	2	3	1	...	1	1
Elmore road	1	1	1	3	2	1
Elton street	1	2	3	1	...	1	1
Endcliffe avenue	1	1	2	1	...	1	...
Endcliffe vale road...	3	3	2	1
Fawley road	1	...	1	2	4	3	...	1	...

NETHER HALLAM STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Fern road	3	3	2	1
Fir street	1	1	1
Flora street	1	1	3	1	1	1	...
Fox road
Freedom road	1	...	6	7	2	...	5	...
Freedom street	1	1	...	8	11	4	1	3	3
Fulton road	1	...	3	1	5	2	1	...	2
Gertrude street	1	1	2	...	1	...	1
Gilpin lane	1	2	3	...	1	1	1
Gilpin street	4	6	10	4	3	...	3
Glossop road	2	2	1	1
Gould street	1	1	1	3	1	1	1	...
Grammar street	1	3	1	5	6	7	2	4	3
Greaves street	2	2	8	7	1	2	2
Greenhow street	1	1	2	...	1	...	1
Grove square	1	...	1	3	2	1
Hadfield street	1	7	8	2	1	4	1
Hands lane...	1	...	1	1
Harcourt road	1	...	1	2	2	...
Hardy street	1	2	3	1	...	2	...
Harold street	1	...	1	4	6	3	...	1	2
Harworth street	1	...	2	...	3	2	1
Hattersley street	2	2	1	...	1	...
Hawksworth road...	1	1	2	2
Hawthorn street	1	...	1	...	1
Heavygate road	1	5	6	2	1	...	3
Hicks road	1	1	2	2
High House terrace	4	4	2	...	1	1
Highton street	1	...	1	2	1	1
Hollis terrace	1	1	2	1	1
Hoole street	1	...	5	7	2	...	4	1
Holm lane	1	1	4	2	1	1	...
Horam road	1	1	1
Hounsfield road	1	1	1
Howard road	4	4	...	1	3	...
Industry street	1	3	4	1	1	2	...
Infirmiry road	1	2	9	12	3	2	4	3
Jenkinson street	2	1	...	4	1	8	4	...	4
Kelvin street	1	...	3	1	5	1	2	2
King James street...	2	4	2	8	2	1	3
Langsett road	1	3	3	9	17	33	8	4	12
Leavygreave road	1	...	1	1	3	1	...	1
Limbrick lane	2	2	2
Lime street...	1	1	1	...
Lister road...	1	1	...	1
Livesey street	1	2	3	1	1	...	1
Lock street...	3	3	3
Marlborough road	1	1	...	1	3	1	...	2	...
Martin lane	1	...	2	3	1	2	1	2
Martin street	1	1	1	13	16	32	12	3	14
Matlock road	1	1	2	4	2	1	...
Melbourne road	1	1	1	...
Morley street	1	...	1	1	...
Montague road	1	1	1
Moor oaks road	2	2	2	...
Mushroom lane	3	1	4	1	3
Nook, The	1	1	2	2	...
Orchard road	1	2	1	1	2	7	2	1	2
Otley street	1	1	...	1	2	5	1	1	2
Owlerton	1	1	6	8	3	2	1
Owlerton green	1	...	1	2	1	1
Oxford street	1	...	2	3	7	13	2	...	5
Palm lane	1	1	2	...	1	1	...
Palm street...	1	1	...	1
Parker's lane	1	...	1	...	2	1	1	...
Parker's road	4	4	1	1	1	1

NETHER HALLAM STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Penistone road	3	5	1	7	12	28	8	3	13	4
Poplar street	1	1	1
Portland street	3	6	2	2	9	22	8	3	7	4
Primrose hill	1	1	...	1
Providence road	1	1	1	3	1	1	1	...
Rangeley road
Rivelin street	1	1	...	1
Robert street	1	4	2	4	11	3	2	4	2
Roebuck road
Rose street... ..	1	1	...	1
School road	3	3	1	...	1	1
Sherde road	1	1	2	1	1
Shipton street	1	1	1
Slinn street
Somerville terrace	1	1	1	...
South road	2	4	6	4	...	1	1
Spring hill road	1	1	...	2	2	...
Springvale road	1	2	6	9	2	7
Stothard road	1	1	1	...
St. Thomas road	2	2	...	1	1	...
Sydney road	3	3	3
Toft wood	1	1	1	...
Toyne street	1	1	...	1
Thirza street	3	3	2	1
Townend street	1	3	4	2	...	2	...
Upper Hanover street	2	...	2	4	2	2
Upperthorpe	1	2	3	2	...	1	...
Upperthorpe road... ..	1	...	2	3	...	6	...	2	3	1
Vestry street	1	...	1	2	1	...	1	...
Walkley bank road	2	2	1	...	3	8	3	2	3	...
Walkley crescent road	5	5	3	...	1	1
Walkley lane	1	...	1	1	4	7	2	2	...	3
Walkley road	1	2	4	7	1	1	3	2
Walkley street	1	3	4	2	2
Walter street	1	1	1
Watery lane	1	1	2	1	...	1	...
Watkin lane	1	...	1	...	2	...	2
Watkin street	1	1	2	1	1
Wentworth street... ..	5	3	2	5	14	29	13	3	10	3
Westbourne road	2	2	2
West Don street	1	1	2	2	...
Western bank	1	1	1
Westmoreland street	1	1	2	2
Whitehouse lane	1	1	4	3	9	3	1	3	2
Whitehouse road	1	3	4	1	2	...	1
Whitham road	1	...	1	...	1
Wood street	1	...	2	3	...	6	2	...	2	2
Woodland street	1	1	...	6	6	14	5	5	3	1
Woollen lane	1	...	2	1	4	...	1	2	1
Woollen street	1	1	2	1	1
Wood grove lane	2	...	2	...	2
<i>Persons admitted from this district have died in the following Institutions :</i>										
City Fever Hospital	9	1	2	12	...	3	9	...
Infirmery	2	...	2	2	17	23	1	1	18	3
Jessop Hospital	3	3	3	...
Public Hospital	2	2	1	1
Workhouse...	2	3	8	20	33	3	...	12	18

UPPER HALLAM STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Brookhouse hill	3	3	2	...	1	...
Carr houses	1	1	2	...	1	...	1
Chapel terrace	1	1	1
Crimicar lane	2	...	1	3	1	1	...	1
Cross pool	1	1	2	1	1
Hallam head	1	1	1
Hanging water	2	2	2
Nether green	1	1	1	1	4	1	...	1	2
Oak Brook road	1	...	1	2	2	...
Ranmoor	1	...	2	3	2	1
Ringinglowe	1	...	1	...	2	1	...	1	...
Riverdale	1	1	1
Stephen hill	1	1	...	2	1	1
Sandygate	1	1	2	1	1
School green	1	1	1	...
Sleigh Leigh	1	1	1	...
Tom lane	1	1	1
Whiteley wood	1	...	1	1
<i>Persons admitted from this district have died in the following Institutions:</i>										
City Fever Hospital	1	1	1	...
Infirmary	1	1	1	...
Jessop Hospital	1	1	1	...
Public Hospital	1	1	1	...
Workhouse...	2	2	2

ECCLESALL STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abbeydale road	2	...	2	4	18	26	6	4	11	5
Aberdeen lane	1	...	1	1
Aberdeen street	2	...	2	8	12	3	...	6	3
Ainsley road	1	...	1	1
Aizlewood road	1	1	2	1	1
Albany road	3	3	1	...	2	...
Albert road...	1	1	2	7	11	2	...	7	2
Alderney road	1	...	1	...	2	2
Alderson road	1	1	4	6	1	2	1	2
Alderson place	2	1	2	5	3	2
Alexandra road	4	1	...	2	6	13	4	5	2	2
Angus square	1	...	1	2	1	1
Angus terrace	1	...	1	...	1
Arley street	1	1	2	2
Arthur road	1	1	1	...
Artizan view	1	2	3	1	1	...	1
Ascott street	1	...	1	...	1
Ashdell road	2	2	1	1
Ashford road	1	...	1	...	1
Ashgate road	1	1	1
Ashland road	2	2	2
Ashley road	2	...	1	2	8	13	4	2	4	3
Asline road...	1	2	2	3	7	3	1	2	1
Athol street	1	1	2	1	...	1	...
Avenue road	2	2	2
Backfields	2	2	1	1
Banner cross	1	...	1	2	1	1
Barton road	1	1	1	...
Bath street	1	3	2	2	2	10	1	3	4	2

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Batt street	1	1	1
Bedale road	3	...	1	...	4	3	...	1	...
Beechill road	1	1	1
Beeley street	1	1	1
Belgrave square	1	1	1
Belper road	1	1	2	1	1
Bennett street	2	4	6	1	1	2	2
Beresford place	1	...	1	...	1
Bethel walk	2	2	1	1
Bishop street ...	1	...	1	...	2	4	...	1	3	...
Boston street ...	2	6	2	2	10	22	9	6	5	2
Botanical road	1	1	1
Bowden street	1	4	3	8	2	3	1	2
Boyton street	1	1	1	4	7	3	2	2	...
Bradwell street	1	1	2	1	...	1	...
Bramall lane	4	2	4	10	20	6	3	7	4
Bridgefield road ...	1	1	2	1	...	1	...
Brincliffe Edge road	1	2	3	6	2	...	2	2
Brincliffe hill ...	1	2	...	3	2	1
Broadfield Park road ...	2	3	2	4	8	19	9	2	7	1
Brocco bank	1	...	1	1
Broom close	1	1	...	2	...	1	...	1
Broomfield	1	1	1	...
Broomgrove road	1	...	1	1	...
Broomhall park	3	3	3
Broomhall street	4	10	14	3	2	4	5
Broomspring lane	2	4	7	13	3	2	6	2
Brunswick street	3	2	5	1	4
Button lane	1	...	1	4	6	1	1	2	2
Byron road...	1	1	1	...
Cambridge road	2	5	7	4	...	3	...
Cambridge street ..	1	1	2	4	1	1	2	...
Carfield avenue	1	1	1
Carfield road	1	2	3	3
Carfield street	1	2	3	2	...	1	...
Carter road...	1	2	8	11	4	1	4	2
Carter place	1	...	1	1
Carver street	2	1	1	4	8	4	2	1	1
Cavendish street	1	2	3	3	...
Cecil road ...	1	...	1	...	4	6	1	1	2	2
Cemetery road ...	1	1	1	3	6	12	2	3	3	4
Cherrytree road	2	2	2
Chester street	1	1	2	1	1
Chippinghouse road	2	1	...	4	7	1	2	3	1
Clarence street ...	1	1	5	5	7	19	3	1	14	1
Clarkehouse road	1	1	1	...
Clarke square	1	...	1	2	1	1
Clarke street	1	1	1
Cliff street	1	1	1	...
Clinton place	1	1	2	2	...
Club Garden road ...	1	1	1	1	2	6	1	3	1	1
Clyde road ...	2	3	1	6	1	...	2	3
Collegiate crescent	1	4	5	1	...	1	3
College street	1	1	1	...
Colver road...	1	...	2	3	6	3	...	1	2
Copley street ...	1	2	...	3	...	2	...	1
Crescent road ...	1	1	1	...
Cross Carfield street	1	1	1
Cross Myrtle road	1	1	...	1
Crookes road	1	3	4	2	...	1	1
Cumberland street... ..	1	1	...	3	...	5	1	3	1	...
Davy lane	3	3	1	...	1	1
Dene lane ...	1	1	2	1	...	1	...
Denby street	2	...	3	...	5	3	1	...	1
Denmark road	1	...	2	3	1	1	1	...

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Division street ...	1	1	...	1	...	3	1	...	2	...
Dore	1	1	1
Dorset street	3	4	7	2	...	2	3
Dover road...	1	...	1	1
Dyson lane...	1	1	1
East Grove road	1	1	1
Ecclesall	1	5	8	14	...	2	7	5
Ecclesall road	3	...	2	19	24	10	1	7	6
Edgehill road	1	...	1	2	1	1
Edmund street	1	...	1	2	2
Edwin road	2	2	2
Egerton street ...	2	2	2	3	8	17	8	1	5	3
Eldon street	3	3	1	5	12	3	1	7	1
Empire road	1	1	1
Endcliffe edge	1	1	2	2
Endcliffe Vale road	2	2	...	1	...	1
Endcliffe crescent	2	...	2	1	1
Evans street	2	2	1	...	1	...
Exeter street	2	2	1	1
Farrar road	1	1	1
Fentonville street	4	4	2	...	1	1
Fieldhead road	1	...	2	3	3	...
Filey street...	2	2	2
Fitzwilliam street ...	1	3	1	4	10	19	5	1	5	8
Forster road	1	...	1	2	1	1
Florence place	2	2	2
Franklin street ...	1	8	2	8	7	26	12	4	5	5
Frederick road	1	1	2	...	1	...	1
Fulwood road	6	6	1	...	2	3
Gell street	1	...	1	2	2	...
George lane...	1	2	1	1	4	9	3	2	2	2
Gifford road	1	1	1	...
Gleadless road ...	4	3	...	4	19	30	5	6	14	5
Glen road	3	3	3	...
Glossop road	1	1	2	5	9	2	...	2	5
Gloucester street	2	1	4	9	16	7	1	3	5
Glover road ...	1	1	1	...	3	6	2	1	2	1
Goodwin road	1	1	2	1	1
Gordon road	2	2	1	1
Grange crescent	2	3	5	...	1	2	2
Green street	2	2	4	2	...	2	...
Gregory road	2	6	8	4	1	2	1
Grosvenor square ...	1	1	1	3	...	1	2	...
Guernsey road	1	1	2	1	1
Hanover square	1	1	1
Hanover street	4	3	6	13	2	1	8	2
Harrington road ...	1	3	4	1	1	1	1
Harrington place ...	2	2	1	...	1	...
Harrow street	1	4	5	1	1	1	2
Harwood street ...	1	3	2	1	2	9	3	1	4	1
Hastings road	1	1	1
Havelock square	1	...	1	2	4	2	...	2	...
Havelock street	3	3	1	...	1	1
Headford street ...	1	1	1	3	4	10	2	3	3	2
Heeley green	1	2	7	10	3	3	4	...
Hereford street	2	2	1	1
Hermitage street	1	4	8	13	2	1	4	6
Herschell road	1	...	1	2	4	1	2	1	...
Hill street	1	...	6	8	15	7	2	4	2
Hill top	3	3	...	1	1	1
Hobart street	1	...	1	3	5	1	4
Hodgson street	3	...	4	12	19	6	2	9	2
Holand road	1	...	4	5	1	...	1	3
Horner road	1	3	4	1	...	1	2
Houldsworth street	1	1	2	...	2
Humble road	1	...	3	4	1	1	2	...

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Jarrow road	1	1	...	1
Jersey road	1	1	2	...	1	...	1
Jessop street	1	2	3	1	...	2	...
John street	2	1	2	5	1	1	3	...
Kearsley road	1	1	2	1	1
Keeton's hill	...	1	1	2	...	1	...	1
Kent road	1	...	1	1	4	1	1	1	1
Kenwood road	...	1	1	2	2	...
Langdon street	...	1	1	3	1	1	1	...
Lansdowne road	...	2	...	4	11	17	5	1	9	2
Lawson road	1	1	1	...
Lawson street	...	1	1	1
Lescar lane	...	1	1	1
Leverton street	...	1	1	1	...	4	3	1
Little common	3	3	...	1	...	2
London road	...	1	4	7	17	30	10	5	9	6
Lydgate lane	...	2	1	4	3	10	3	2	2	3
Machon bank	...	2	...	1	1	4	1	1	1	1
Machon bank road	1	...	1	1	...
Mackenzie crescent	1	...	1	1
Mackenzie street	1	1	1	...
Manchester road	3	3	1	2
Margerrison street	...	1	1	2	2
Marples street	...	1	2	3	1	1	1	...
Mary lane	1	1	1
Michael road	...	2	1	3	3
Midland road	5	5	2	...	2	1
Millhouses	1	1	1	2	5	1	...	3	1
Miller road...	...	2	1	3	2	...	1	...
Milton lane	1	1	1
Milton street	...	1	...	4	8	13	2	1	4	6
Montague street	1	...	1	1
Monmouth street	...	2	1	1	7	11	5	...	3	3
Moor, The	1	...	1	...	2	1	...	1	...
Moor street...	...	1	...	1	4	6	3	1	1	1
Moncrieff road	...	1	1	2	1	1
Montgomery road...
Mount pleasant road	...	1	...	2	2	5	1	2	...	2
Mount street	1	1	2	4	1	3
Myrtle road	...	1	1	2	...	2
Napier street	...	2	...	5	8	15	5	1	8	1
Nether Edge road...	1	1	1
Newbould lane	2	2	1	1
Nicholson road	...	1	1	2	1	1
Nicholson place	4	4	1	...	1	2
Northcote road	1	3	4	2	1	...	1
Northumberland road	2	2	2	...
Oak street	2	1	2	2	7	2	1	4	...
Oakhill road	1	1	1
Oakdale road	1	1	1	...
Osborne road	2	2	2	...
Oxford road	...	2	4	2	5	13	5	3	4	1
Pawson place	1	1	1
Pear street	1	1	1	...
Pearl street	...	1	2	3	6	14	5	1	5	3
Peel street	1	1	2	3	7	3	2	1	1
Pembroke street	1	1	1	...
Penley street	1	...	1	1	...
Penns road	2	2	...	1	1	...
Porter street	...	2	...	2	4	8	2	2	3	1
Preston street	...	1	...	1	2	4	2	2
Primrose view	...	1	...	1	...	2	1	1
Prince street	...	1	...	1	...	2	...	1	1	...
Priory place	1	1	1
Priory terrace	1	1	1	...
Prospect road	...	1	1	1	4	7	3	1	3	...

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Prospect terrace	1	1	1
Prospect view	1	1	1	...
Psalter lane	2	2	1	1
Queen's road	1	9	10	2	1	5	2
Randall street	1	...	1	3	5	2	...	2	1
Ratcliffe road ...	1	1	1
Renton street	1	...	1	...	1
Richards road ...	1	1	2	6	12	22	7	3	9	3
Ringinglowe road	1	...	1	...	1
Rockingham lane ...	1	...	1	2	4	8	1	4	2	1
Rockingham street ...	1	2	...	3	4	10	4	1	5	...
Rufford road	2	...	2	2	6	3	2	1	...
Rufford terrace	1	1	1
Rupert road	1	1	1
Salmon street ...	1	1	1	3	2	1
Sandon place	1	1	1
Saxon road...	2	1	3	3
School lane...	1	1	...	1
Sellars street	2	2	4	3	...	1	...
Sharrow lane	1	5	6	1	...	3	2
Sharrow street ...	1	1	...	1
Sharrow mount	2	2	1	1
Sharrow vale road...	1	1	1	...
Sheaf bank	1	...	1	1
Sheldon street ...	2	4	1	1	9	17	8	2	6	1
Sherrington road	1	1	...	1
Soho street...	1	1	...	1
Solferino street ...	2	1	3	1	1	1	...
South lane	1	2	3	2	1
South street ...	2	1	2	2	4	11	...	2	5	4
South Grove road	1	1	1
South view road ...	1	1	...	2	6	10	4	1	2	3
South view crescent	1	4	5	2	1	1	1
Spencer road	1	1	1	2	5	2	...	2	1
Springwood road ..	1	5	6	2	1	1	2
Spooner road	1	1	4	6	...	1	4	1
Staveley road	2	1	...	2	5	3	1	1	...
Stade road	1	2	3	1	2
Stemp street	1	1	1
Stewart road	1	1	2	4	3	...	1	...
Stirge street	1	...	2	3	1	...	1	1
Storm street	1	1	2	1	1
St. Mary's lane	1	1	1
St. Ronan's road	2	2	1	1
Summerfield street	2	3	5	1	4
Sunderland street	1	2	3	...	1	1	1
Tapton Hill road	1	1	2	2	6	...	2	3	1
Taptonville	1	1	2	2	...
Tavistock road ...	2	1	2	5	2	2	1	...
Thirlwell mount ...	1	1	2	1	...	1	...
Thirlwell road ...	1	1	1	2	2	7	1	1	2	3
Thomas lane	1	1	1	...
Thomas street ...	7	6	2	7	10	32	11	6	8	7
Thorpe road ...	1	1	1	3	2	8	3	1	2	2
Tillotson road ...	1	2	1	...	2	6	2	...	3	1
Trafalgar lane	1	2	3	3
Trafalgar street ...	2	2	1	1	7	13	8	1	3	1
Travis place	1	1	1
Ventnor place	1	2	3	3
Victoria road	2	2	2
Victoria street	1	1	1
View road	2	2	...	1	...	1
Vincent road ...	3	...	1	1	5	10	1	1	4	4
Violet Bank road	2	2	...	1	1	...
Ward place...	1	1	2	1	...	1	...
Warner street ...	1	2	3	2	1

ECCLESALL STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Washington road ...	2	1	6	9	3	1	2	3
Wellington street ...	1	3	4	8	1	3	2	2
Well lane	4	4	3	1
Well place	1	1	1	...
Well road ...	1	...	1	3	9	14	4	2	7	1
Western bank	2	2	1	1
Wharnccliffe road	1	1	1	...
Whirlow dale road	1	...	1	1
Whiteley wood	1	1	...	1	3	1	...	2	...
Whitham road	1	1	1
Wilkinson street	1	...	1	1
William street	2	1	3	3	...
Wilson road	1	...	1	2	2
Wilson place	1	...	1	...	2	2
Witney street	2	2	2
Wolseley road	1	2	3	2	1
Woodhead road	2	1	5	5	13	3	2	4	4
Wostenholm road ...	1	1	...	1	4	7	1	1	2	3
Wright's hill	1	...	2	3	...	2	1	...
Young street	1	3	6	10	4	3	2	1
<i>Persons admitted from this District have died in the following Institutions :</i>										
Children's Hospital ...	1	1	...	1	3	6	3	...	3	...
City Fever Hospital ...	13	13	...	7	6	...
Infirmery ...	1	3	7	11	9	2
Jessop Hospital	1	1	1	...
Lodge Moor Hospital ...	4	4	...	1	3	...
Public Hospital ...	1	...	1	2	24	28	1	2	22	3
Workhouse...	2	12	14	53	81	3	4	38	36

